

F ANT THE TOTALON COCASH RECUSTER HIMTOFILEK HOMBONE BEGINTREPRASSE HATOFILES FRADORA FLECTROMIQUE DE SHAPP HALA HUR STRADORA FLECTROMICA DE SHAPP

ER-2722A MODEL ER-2742A ER-2732A

TACUMAN MOTTOUR TANGET AND BETTER THE BEST OF THE SECOND FOR THE S

MANDAL DE METALCOM MANDAL DE METALCOM



The above photo shows model ER-2782A.

Das Modell ER-2782A wird im Foto gezeigt

La photo ci-dessus montre le modèle ER-2782A.

La foto de arriba ilustra el modelo ER-2782A.

CONTENTS

	CAL CHARACTERISTICS OF THE ER-2782A/2742A/2722A TERS	4
KEYBO	OARD LAYOUT AND DUTIES OF SWITCH AND KEYS	7
DESCR	IPTION OF THE DISPLAY	14
	E OF JOURNAL PRINT FORM	
OVERF	LOW ERROR ALARM	16
	AL POINT POSITION AND THE WAY TO USE THE 1/2 PENNY	
	AL TOWN TOOMON AND THE WAT TO GOT THE ME TENNET	17
	NG, CLOSING AND LOCKING THE PRINTER COVER	
	LLING THE ROLL-PAPER AND MOUNTING THE TAKE-UP SPOOL	
	RAMMING	
1.	Register-number setting	
	Consecutive-number setting.	21
	Setting an exclusive department for single-item sale, and a limit on the	21
	number of entry digits for department and functional keys	
	Setting a departmental unit price	
	Setting the journal print form	
	Setting the limit number of times of validating (the ER-2782A only)	
7. 8.	Reading the contents of presetting	
	SETTING	
	OUS REGISTRATIONS	
1.	Single-item registration	26
	(1) Registration into an exclusive department for single-item	
	sale transactions	
	(2) Registration into ordinary departments	
2.	Multiple-item registration	
3.	Registration of two or more same-priced commodities	
	(1) Repetitive registration	28
	(2) Multiplication registration	
4.	Computation of sub-total	
5.	Change calculation	
	(1) Change calculation with cash tendered	
	(2) Change calculation with check tendered	
_	(3) Change calculation after the finish of transaction	
6.	Negative registration	
	(1) Individual deduction	
_	(2) Collective deduction after computation of sub-total	
7.	Discount and premium registrations	
8.	Registration of mixed-tender — cash, check, and credit — transactions	
9.	Refund registration (available to the ER-2782A alone)	34

10. Bottle-return registration		
11. Printing non-add code numbers		
12. Received-on-account registration		
13. Paid-out registration		
14. Exchange (no-sale)		
RECEIPTING (with the Receipt ON-OFF Switch at the OFF Position)		
VALIDATION PRINTING (Available only to the ER-2782A)38		
CORRECTION		
1. Correction of entered numbers		
2. Correction just after the push of the or RF key (before pushing some department key)		
3. Correction right after registrations (direct void)		
4. Correction of the second last or earlier wrong registrations made before		
the push of the $ \overline{}$ L , $ $ CH , or $ $ CR key (indirect void)		
5. Cancellation (at the omega mode) after the finish of a transaction		
(after the issuance of a receipt)41		
READING OF SALES42		
RESETTING OF SALES43		
CASH/CHECK IN DRAWER DECLARATION		
IN CASE OF POWER FAILURE		
LOCKING THE DRAWER		
REMOVING THE TILL AND THE DRAWER48		
OPENING THE DRAWER BY HAND		
REPLACING THE ROLL-PAPER AND REMOVING		
THE PAPER TAKE-UP SPOOL		
REPLACING THE INK ROLLER AND THE INK RIBBON		
INK REFILL		
BEFORE CALLING FOR SERVICE		
SPECIFICATIONS		
GUIDANCE TO OPTIONS		
CLOCK UNIT (OPTION)		
PERIODIC SUMMING UNIT (OPTION) [only for ER-2782A and UK-exported		
ER-2742A]59		
Replacement Label Sheet for key-tops		

This is a "Table of Contents preview" for quality assurance

The full manual can be found at http://the-checkout-tech.com/estore/catalog/

We also offer free downloads, a free keyboard layout designer, cable diagrams, free help and support.

<u>http://the-checkout-tech.com</u>: the biggest supplier of cash register and scale manuals on the net