

SHARP®

ELECTRONIC CASH REGISTER

MODEL
ER-2980

INSTRUCTION MANUAL



Workshop
Copy.

If undue force is applied to the drawer, the cash register will become unstable.

This apparatus complies with the requirements of EN 55014, 02.1987 and BS 800:1988.

Dieses Gerät stimmt mit den Bedingungen der EN 55014, 02.1987 überein.

Cet appareil répond aux spécifications de la EN 55014, 02.1987.

Dit apparaat voldoet aan de vereiste EN 55014, 02.1987.

Apparatet opfylder kravene i EN 55014, 02.1987.

Questo apparecchio è stato prodotto in conformità alle EN 55014, 02.1987.

Αύτή ή συσκευή τηρεί τις προδιαγραφές της EN 55014, 02.1987.

Este aparelho responde às especificações da EN 55014, 02.1987.

Este aparato cumple las especificaciones de la EN 55014, 02.1987.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT:

Zur vollständigen elektrischen Trennung vom Netz, den Netzstecker ziehen.

ATTENTION:

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-2980.

Please read this Manual carefully before operating your machine in order to gain a full understanding of its functions and performance.

Please keep this Manual for future reference, it will help you, if you encounter any operational problems.

IMPORTANT

- **Install your ER-2980 in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.**
Installation in such locations could cause damage to the cabinet and the electrical components.
- **The register should not be operated by an individual with wet hands.**
The water could seep into the interior of the ER-2980 and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use volatile liquid, such as benzene and thinner.**
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The ER-2980 register plugs into any standard wall outlet (local voltage $\pm 10\%$ AC).**
Other electrical devices on the same electrical circuit could cause the ER-2980 to malfunction.
- **If the register malfunctions call your local dealer for service — do not try to repair the register yourself.**
- **For a complete electrical disconnection, pull out the main plug.**
- The standard machine is not equipped with those functions that are marked with the asterisk (*) in this Manual.
If you need the functions, consult your local dealer.
You are requested to note, however, that equipping your register with these functions may require some of the standard functions to be disabled.

PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used.

Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer.

In order to charge the batteries, the machine must be plugged in and left on in the "REGISTER MODE". This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

	Page
● PHYSICAL CHARACTERISTICS OF THE ER-2980 REGISTER	6
● KEYBOARD LAYOUT AND DUTIES OF SWITCH AND KEYS	8
1. Mode switch and mode keys	9
2. Cashier and clerk keys.....	10
3. Receipt ON-OFF switch	11
● DISPLAYS	12
FOR THE MANAGER	13
● PROGRAMMING	14
1. Setting the date and time	14
2. Setting the register number	15
3. Setting the consecutive number.....	16
4. Programming for departments.....	16
(1) Functional programming.....	16
(2) Programming to select printing of special department subtotals on X/Z report	18
(3) Programming alphanumeric characters	20
(4) Programming unit price.....	22
(5) Programming the automatic entry assignment for departments.....	22
5. Price lookup (PLU) programming	23
(1) Programming the PLU number, PLU/subdepartment/delete mode, and associated departments.....	24
(2) Programming alphanumeric characters (PGM2 mode).....	25
(3) Programming the first and second unit prices for PLUs (PGM1 or PGM2 mode).....	26
(4) Programming the PLU unit price level (PGM2 mode)	27
(5) Programming the tax status (PGM2 mode)	27
(6) Entering stock quantities (PGM2 mode)	29
(7) Programming the automatic entry assignment for PLUs (PGM2 mode)....	30
6. Programming the report skip (PGM2 mode)	32
7. Programming to select whether to enable or disable the printing of X/Z reports (PGM2 mode)	33
8. Programming the percentage for %1 , %2 *, %3 *, VAT , and commission (PGM1 or PGM2 mode).....	34
9. Programming % item or % subtotal selection for the percent keys (%1 , %2 *, %3 *) and discount item or discount subtotal selection for the discount keys (⊖1 , ⊖2 *) (PGM2 mode).....	35
10. Programming to select whether to enable or disable each function in the REG, CLK X/Z, and MGR modes (PGM2 mode)	36
11. Programming alarm length of time with drawer opening (PGM2 mode)	37

	Page
12. Programming for journal select and slip select (PGM2 mode)	38
13. Programming alphanumeric characters for function keys (PGM2 mode)	40
14. Programming the limit on the number of times of validation printing and slip printing and the initial line spacing in slip printing (PGM2 mode)	41
15. Programming to select in which print mode the subtotal of each medium (CH1, CH2, CR1, CR2, and CA) is printed on a full item X or Z report (PGM2 mode)	42
16. Programming the limit on the number of entry digits and the transaction amount limit for function keys and the sentinel amount of cash in drawer (PGM2 mode)	43
17. Clerk number programming (PGM1 or PGM2 mode).	44
18. Clerk name programming (PGM1 or PGM2 mode)	45
19. Cashier name programming (PGM1 or PGM2 mode)	46
20. Assigning clerk's or cashier's drawer (PGM1 or PGM2 mode)	47
21. Programming the operating modes available for clerks (PGM2 mode)	48
22. Programming the VAT shift, guest check copy, and PLU price level for clerks (PGM2 mode)	49
23. Programming alphanumeric characters for logo (header and footer) messages (PGM2 mode).	50
24. Programming text characters for free text print (PGM2 mode)	52
25. Reading stored programs.	53
(1) Program details and procedures for their reading.	53
(2) Sample printouts.	54
• READING AND RESETTING OF SALES TOTALS	59
– DAILY SALES TOTALS –	
1. Clerk reading and resetting	62
(1) Individual clerk reading and resetting	62
(2) Full clerk reading and resetting.	63
2. Cashier reading and resetting.	64
(1) Individual cashier reading and resetting.	64
(2) Full cashier reading and resetting	65
3. Full reading and resetting of sales totals	66
4. Full department reading	68
5. Full transaction reading.	69
6. Reading and resetting of hourly sales information.	70
7. Cash in drawer reading	71
8. Reading of the tax memory.	72
9. Reading of sales information for manual groups	73
10. Individual dept. PLU reading.	74
11. Reading and resetting of sales information for a block of PLUs/subdepartments.	75
12. Reading of PLU stock quantity.	76
13. Reading and resetting of the balance file memory (option).	77

– PERIODIC CONSOLIDATION –

1. Full reading and resetting of periodic consolidated sales total	78
2. Reading of periodic consolidation for all departments (including optional departments)	79
3. Reading of periodic consolidation for all transactions	79
4. Reading and resetting of periodic consolidation for hourly sales information . .	79
5. Reading and resetting of periodic consolidation for all clerks	79
6. Reading and resetting of periodic consolidation for all cashiers	79
7. Reading of the tax memory	79
8. Reading of periodic consolidation for manual groups	79
9. Reading of periodic consolidation for individual dept. PLUs	80
10. Reading and resetting of periodic consolidation sales information for a block of PLUs/subdepartments	80
11. Reading of guest and net for each total	80
12. GT reading	81
◉ COMPULSORY CASH/CHEQUE DECLARATION	83
◉ CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT)	85
◉ DISPLAY AND AUTOMATIC UPDATING OF THE DATE	86
FOR THE OPERATOR	87
* Preparations for entries	88
* Error warning	88
◉ TYPES OF RECEIPTS	89
1. Additional receipt type and addition + total receipt type	90
2. Single/double receipt type and single/double + total receipt type	91
◉ ENTRIES	92
1. Clerk number entries	92
2. Item entries	93
(1) Single item entries	93
(2) Repeat entries	94
(3) Multiplication entries	95
(4) Successive multiplication entries	96
(5) Split-pricing entries	97
(6) Single item cash sale (SICS) entries	98
3. Display of subtotals	98
4. Finalization of transaction	99
(1) Cash or cheque tendering	99
(2) Mixed tendering (cheque + cash)	100
(3) Cash or cheque sale that does not need a tender amount entry	100
(4) Charge (credit) sale	101
(5) Mixed-tender sale (cash or cheque tendering + charge tendering)	101

	Page
5. Computation of VAT (Value Added Tax)/tax.	102
6. VAT shift entries.	103
7. Percent calculations (Premium or discount)	105
8. Deduction	106
9. Refund entries.	107
10. Deposit entries	107
11. Printing of non-add code numbers.	108
12. Guest number entry	108
13. Free text printing	108
14. Guest check copy	109
15. Received on account entries	109
16. Paid out entries.	110
17. Transformation of a cash deal into a cheque or credit deal	110
18. Previous balance (PBAL)/new balance (NBAL) entries	111
19. Previous balance lookup (PB lookup) entries.	113
20. No sale (exchange)	115
● CORRECTION	116
1. Correction of the last entry (direct void).	116
2. Correction of the next-to-last or earlier entries (indirect void)	117
3. Correction of incorrect entries neither the direct nor indirect function can deal with.	117
● VALIDATION PRINTING FUNCTION	118
● PRINTING OF THE EMPLOYEE ARRIVAL AND DEPARTURE TIMES	121
● COPY RECEIPT PRINTING	122
● IN CASE OF POWER FAILURE	123
● PAPER ROLL NEAR-END SENSING FUNCTION (ONLY FOR JOURNAL PAPER)	124
● INSTALLING AND REMOVING THE PAPER ROLL	125
● INSTALLING THE INK RIBBON CASSETTE	128
● INK REFILL	129
● REMOVING THE TILL AND THE DRAWER	131
● BEEFORE CALLING FOR SERVICE	132
● LIST OF OPTIONS	133
● SPECIFICATIONS	134
● SLIP PRINTER (OPTION) MODEL ER-46SP1	136

[Click here to download the full manual at THE-CHECKOUT-TECH.COM](http://THE-CHECKOUT-TECH.COM)