


SHARP®

ELECTRONIC CASH REGISTER

MODEL

ER-3110

INSTRUCTION MANUAL



Workshop Copy.

If undue force is applied to the drawer, the cash register will become unstable.

This apparatus complies with the requirements of EN 55014, 02, 1987 and BS 800: 1988.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

CAUTION:

The socket-outlet shall be installed near the equipment and shall be easily accessible.

INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-3110. Please read this Manual carefully before operating your machine in order to gain a full understanding of its functions and performance. Please keep this Manual for future reference. It will help you, if you encounter any operational problems.

IMPORTANT

- **Install your ER-3110 in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.**
Installation in such locations could cause damage to the cabinet and the electrical components.
- **The register should not be operated by an individual with wet hands.**
The water could seep into the interior of the ER-3110 and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use volatile liquid, such as benzine and thinner.**
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The ER-3110 register plugs into any standard wall outlet (local voltage $\pm 10\%$ AC).**
Other electrical devices on the same electrical circuit could cause the ER-3110 to malfunction.
- **If the register malfunctions, call your local dealer for service — Do not try to repair the register yourself.**

PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used. Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer.

In order to charge the batteries, the machine must be plugged in and its power switch must be set to the "ON" position. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

	Page
• PHYSICAL CHARACTERISTICS OF THE ER-3110 REGISTER	6
• KEYBOARD LAYOUT AND SWITCH AND KEY DESCRIPTIONS	8
1. Keyboard	8
2. Mode switch and mode keys	11
3. Cashier and clerk keys	12
4. Receipt ON-OFF switch	12
• DISPLAYS	13
1. Operator display	13
2. Customer display	15
• GENERAL INSTRUCTIONS	16
• HOW TO PROGRAM ALPHANUMERIC CHARACTERS	17
• PROGRAMMING	18
1. Setting the date and time	18
(1) Setting the date (#260)	18
(2) Setting the time (#261)	19
2. Setting the register number (#262)	19
3. Setting the consecutive number (#263)	20
4. Programming for departments	20
(1) Programming of unit prices (#110)	20
(2) Functional programming (#210)	21
(3) Programming of tax status (#211)	22
(4) Setting a limit amount (HALO) of entry (#212)	23
(5) Programming of department text (#214)	24
ALPHANUMERIC CHARACTER CODE TABLE	25
(6) Assigning departments to groups (commission/sign & grouping) (#215)	26
(7) Assigning print stations to departments (#218)	27
(8) Positioning of department keys (#219)	27
5. Programming for PLUs	28
(1) Definition of PLU codes and department assignment (#220)	29
(2) Programming of unit prices (#120)	29
(3) Programming of prices for happy hour (#122)	30
(4) Programming of base quantity (#121)	31
(5) Programming of pint quantity (#123)	31
(6) Programming of tax status (#221)	32
(7) Programming of PLU text (#224)	33
(8) Assigning of PLUs to commission groups (#225)	34
(9) Programming of set PLUs (#226)	34
(10) Programming of link PLUs (#223)	35
(11) Programming of PLU level shift codes (#227)	36
(12) Assigning print stations to PLUs (#228)	36
(13) Positioning of direct PLU keys (#229)	37
(14) Programming of stock quantity (#127, #125 and #126)	38
(15) Programming for a range of PLUs (#245, #246 and #247)	39
6. Function parameter programming	42

	Page
(1) Programming the rate (#130)	42
(2) Function programming 1 (for CA, CH, CR) (#230)	43
(3) Function programming 2 (for %, ⊖) (#231)	44
(4) Function programming 3 (HALO) (#232)	45
(5) Programming of function text (#234)	46
LIST OF FUNCTION TEXTS	47
(6) Programming a denomination of bank note (#237)	51
7. Cashier programming	52
(1) Programming of the cashier name (#154)	52
(2) Functional programming to cashiers (#250)	53
8. Clerk programming	54
(1) Clerk code definition (#141)	54
(2) Assigning of the names of clerks (#144)	55
(3) Functional programming (#240)	56
9. Programming alarm length of time with drawer opening (#270)	57
10. Programming for optional feature selection (#271)	58
11. Programming of validation printing and slip printing (#272)	60
12. Logo text programming (#264)	61
13. Programming of currency descriptor text (#294)	63
14. Programming of hourly report (#265)	64
15. Selection of X1/Z1 and X2/Z2 reports to be printed in the stacked report sequence (#295 and #296)	65
16. Secret codes to control access to PGM1 mode, and Z1 and Z2 reports (#290, #291 and #292)	66
17. Programming of error messages (#275)	67
LIST OF ERROR TEXT	68
18. Reading stored programs	69
(1) Program details and procedures for their reading	69
(2) Sample printouts	70
• REGISTRATIONS	81
* Preparations for entries	81
* Error warning	81
1. Cashier/clerk assignment	81
2. Entry of starting cash amount into memory	82
3. Item entries	83
(1) Single item entries	83
(2) Repeat entries	86
(3) Multiplication entries	87
(4) Successive multiplication entries (option)	88
(5) Split-pricing entries (option)	89
(6) Single item cash sale (SICS)/single item finalize (SIF) entries	90
4. Other entries for PLUs	91
(1) Set PLU entries	91
(2) Link PLU entries	91
(3) Half/Double pint entries	92
(4) Happy-hour price entries	93
(5) PLU level shift (for direct PLU)	93
5. Display of subtotals	95

	Page
6. Finalization of transaction	96
(1) Cash or cheque tendering	96
(2) Mixed tendering (cheque + cash)	96
(3) Cash or cheque sale that does not need a tender amount entry	97
(4) Credit sale	97
(5) Mixed-tender sale (cash or cheque tendering + credit sale)	98
(6) Tender operation with bank note keys (option)	98
7. Computation of VAT/TAX	99
(1) VAT/TAX system	99
(2) VAT shift entries	100
8. Auxiliary entries	101
(1) Percent calculations (premium or discount)	101
(2) Deduction	102
(3) Refund entries	103
(4) Printing of non-add code numbers	103
9. Guest check entries (PBLU and Manual PB)	104
(1) PBLU system	104
Error messages	106
(2) Manual PB+/PB- entry system	107
(3) Deposit entries	110
(4) Bill transfer	111
(5) Non-turnover sales	112
10. Payment treatment	113
(1) Tip in entries	113
(2) Currency exchange	115
(3) Received-on account entries	116
(4) Paid out entries	117
(5) No sale (exchange)	118
(6) Transfer a cash deal into a cheque or credit deal	118
• CORRECTION	119
1. Correction of the last entry (direct void)	119
2. Correction of the next-to-last or earlier entries (indirect void)	120
3. Correction of the subtotal (subtotal void)	120
4. Handling of errors found after receipt issuance	121
• VARIOUS PRINTING	122
1. Copy receipt printing	122
2. Guest check copy	123
3. Validation printing function	124
3-1. Validation slip setting and printing	124
3-2. The validation printing can occur just after the following registrations	125
(1) Validation printing of item entries	125
(2) Validation printing after the finalization of a transaction	126
3-3. Validation slip specification	126
• OVERLAPPED CASHIER ENTRY	127
• CLERK CHANGE DURING TRANSACTION	128
• TRANSACTION FINALIZING (BY REMOVING THE CLERK KEY)	128

	Page
• PRINTING OF THE EMPLOYEE ARRIVAL AND DEPARTURE TIMES129
• MANAGER MODE129
• TIP PAID ENTRIES130
• CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT)131
• TIME DISPLAY AND AUTOMATIC UPDATING OF THE DATE132
• NORMAL/HAPPY HOUR PRICE SELECTION133
• AUTOMATIC KEY FUNCTION134
• READING (X) AND RESETTING (Z) OF SALES TOTALS135
— SAMPLE REPORTS —138
• COMPULSORY CASH/CHEQUE DECLARATION160
• TRAINING MODE162
• OPERATOR MAINTENANCE163
1. In case of power failure163
2. In case of printer's motor locking163
3. Paper roll near-end sensing function (only for journal paper) < option >164
4. Installing and removing the paper roll164
5. Installing the ink ribbon cassette167
6. Ink refill168
7. Removing the till and the drawer169
8. Opening the drawer by hand169
9. Before calling for service170
– Program resetting –170
• LIST OF OPTIONS171
• SPECIFICATIONS172
• SLIP PRINTER (OPTION) MODEL ER-31SP174
• KITCHEN PRINTER (OPTION) MODEL ER-02RP185

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/sharp/ER-3110 operating manual.html](https://the-checkout-tech.com/manuals/sharp/ER-3110%20operating%20manual.html)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)