


# SHARP®

ELECTRONIC CASH REGISTER

MODEL

# ER-3120

INSTRUCTION MANUAL



WS COPY

If undue force is applied to the drawer, the cash register will become unstable.

This apparatus complies with the requirements of EN 55014, 02. 1987 and BS 800: 1988.

Dieses Gerät stimmt mit den Bedingungen der EN 55014, 02. 1987 überein.

Cet appareil répond aux spécifications de la EN 55014, 02. 1987.

Dit apparaat voldoet aan de vereiste EN 55014, 02. 1987.

Apparatet opfylder kravene i EN 55014, 02. 1987.

Questo apparecchio è stato prodotto in conformità alle EN 55014, 02. 1987.

*Αύτή ή συσκευή τηρεί τις προδιαγραφές της EN 55014, 02. 1987.*

Este aparelho responde às especificações da EN 55014, 02. 1987.

Este aparato cumple las especificaciones de la EN 55014, 02. 1987.

**CAUTION:**

For a complete electrical disconnection pull out the mains plug.

**VORSICHT:**

Zur vollständigen elektrischen Trennung vom Netz, den Netzstecker ziehen.

**ATTENTION:**

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

**AVISO:**

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

**VARNING:**

För att helt koppla från strömmen, dra ut stickproppen.

# INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-3120. Please read this Manual carefully before operating your machine in order to gain a full understanding of its functions and performance. Please keep this Manual for future reference. It will help you, if you encounter any operational problems.

## IMPORTANT

- **Install your ER-3120 in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.**  
Installation in such locations could cause damage to the cabinet and the electrical components.
- **The register should not be operated by an individual with wet hands.**  
The water could seep into the interior of the ER-3120 and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use volatile liquid, such as benzine and thinner.**  
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The ER-3120 register plugs into any standard wall outlet (official (nominal) voltage).**  
Other electrical devices on the same electrical circuit could cause the ER-3120 to malfunction.
- **If the register malfunctions, call your local dealer for service — Do not try to repair the register yourself.**

## PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used.

Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer.

In order to charge the batteries, the machine must be plugged in and its power switch must be set to the "ON" position. This recharging precaution can prevent unnecessary initial service calls.

# CONTENTS

	Page
• <b>PHYSICAL CHARACTERISTICS OF THE ER-3120 REGISTER</b> . . . . .	6
• <b>KEYBOARD LAYOUT AND SWITCH AND KEY DESCRIPTIONS</b> . . . . .	8
1. Keyboard . . . . .	8
2. Mode switch and mode keys . . . . .	11
3. Cashier and clerk keys . . . . .	12
4. Receipt ON-OFF switch . . . . .	12
• <b>DISPLAYS</b> . . . . .	13
1. Operator display . . . . .	13
2. Customer display . . . . .	15
• <b>GENERAL INSTRUCTIONS</b> . . . . .	16
• <b>HOW TO PROGRAM ALPHANUMERIC CHARACTERS</b> . . . . .	17
• <b>PROGRAMMING</b> . . . . .	18
1. Setting the date and time . . . . .	18
(1) Setting the date (#260) . . . . .	18
(2) Setting the time (#261) . . . . .	19
2. Setting the register number (#262) . . . . .	19
3. Setting the consecutive number (#263) . . . . .	20
4. Programming for departments . . . . .	20
(1) Functional programming (#210) . . . . .	20
(2) Programming of unit prices (#110) . . . . .	21
(3) Programming of tax status (#211) . . . . .	22
(4) Setting a limit amount (HALO) of entry (#212) . . . . .	23
(5) Programming of department text (#214) . . . . .	24
ALPHANUMERIC CHARACTER CODE TABLE . . . . .	25
(6) Assigning departments to groups (commission/sign & grouping) (#215) . . . . .	26
(7) Assigning print stations to departments (#218) . . . . .	27
(8) Positioning of department keys (#219) . . . . .	27
5. Programming for PLUs . . . . .	28
(1) Definition of PLU codes and department assignment (#220 and #245) . . . . .	28
(2) Programming of unit prices (#120) . . . . .	29
(3) Programming of prices for happy hour (#122) . . . . .	30
(4) Programming of base quantity (#121) . . . . .	30
(5) Programming of pint quantity (#123) . . . . .	31
(6) Programming of tax status (#221 and #246) . . . . .	32
(7) Programming of PLU text (#224) . . . . .	33
(8) Assigning of PLUs to commission groups (#225) . . . . .	34
(9) Programming of set PLUs (#226) . . . . .	34
(10) Programming of link PLUs (#223) . . . . .	35
(11) Programming of PLU level shift codes (#227) . . . . .	36
(12) Assigning print stations to PLUs (#228 and #247) . . . . .	36
(13) Positioning of direct PLU keys (#229) . . . . .	37
(14) Programming of stock quantity (#127, #125 and #126) . . . . .	38
6. Function parameter programming . . . . .	39

	Page
(1) Programming the rate (#130) . . . . .	39
(2) Function programming 1 (for CA, CH, CR) (#230) . . . . .	40
(3) Function programming 2 (for %, ⊖) (#231) . . . . .	41
(4) Function programming 3 (HALO) (#232) . . . . .	42
(5) Programming a denomination of bank note (#237) . . . . .	43
(6) Programming of function text (#234) . . . . .	43
LIST OF FUNCTION TEXTS . . . . .	44
7. Cashier programming . . . . .	48
(1) Programming of the cashier name (#154) . . . . .	48
(2) Functional programming to cashiers (#250) . . . . .	48
8. Clerk programming . . . . .	49
(1) Clerk code definition (#141) . . . . .	49
(2) Assigning of the names of clerks (#144) . . . . .	50
(3) Functional programming (#240) . . . . .	50
9. Programming alarm length of time with drawer opening (#270) . . . . .	51
10. Programming for optional feature selection (#271) . . . . .	52
11. Programming of validation printing and slip printing (#272) . . . . .	54
12. Logo text programming (#264) . . . . .	54
13. Programming of currency descriptor text (#294) . . . . .	55
14. Programming of hourly report (#265) . . . . .	56
15. Selection of X1/Z1 and X2/Z2 reports to be printed in the stacked report sequence (#295 and #296) . . . . .	57
16. Secret codes to control access to PGM1 mode, and Z1 and Z2 reports (#290, #291 and #292) . . . . .	58
17. Programming of error messages (#275) . . . . .	59
LIST OF ERROR TEXT . . . . .	60
18. Reading stored programs . . . . .	61
(1) Program details and procedures for their reading . . . . .	61
(2) Sample printouts . . . . .	62
<b>• TYPE OF RECEIPTS . . . . .</b>	<b>71</b>
<b>• RECEIPT SHIFT . . . . .</b>	<b>76</b>
<b>• REGISTRATIONS . . . . .</b>	<b>77</b>
* Preparations for entries . . . . .	77
* Error warning . . . . .	77
1. Cashier/clerk assignment . . . . .	77
2. Entry of starting cash amount into memory . . . . .	78
3. Item entries . . . . .	79
(1) Single item entries . . . . .	79
(2) Repeat entries . . . . .	81
(3) Multiplication entries . . . . .	82
(4) Successive multiplication entries (option) . . . . .	83
(5) Split-pricing entries (option) . . . . .	84
(6) Single item cash sale (SICS)/single item finalize (SIF) entries . . . . .	85
4. Other entries for PLUs . . . . .	86
(1) Set PLU entries . . . . .	86
(2) Link PLU entries . . . . .	86
(3) Half/Double pint entries . . . . .	87

	Page
(4) Happy-hour price entries . . . . .	88
(5) PLU level shift (for direct PLU) . . . . .	89
5. Display of subtotals . . . . .	90
6. Finalization of transaction . . . . .	91
(1) Cash or cheque tendering . . . . .	91
(2) Mixed tendering (cheque + cash) . . . . .	91
(3) Cash or cheque sale that does not need a tender amount entry . . . . .	92
(4) Credit sale . . . . .	92
(5) Mixed-tender sale (cash or cheque tendering + credit sale) . . . . .	93
(6) Tender operation with bank note keys (option) . . . . .	93
7. Computation of VAT/TAX . . . . .	94
(1) VAT/TAX system . . . . .	94
(2) VAT shift entries . . . . .	95
8. Auxiliary entries . . . . .	96
(1) Percent calculations (premium or discount) . . . . .	96
(2) Deduction . . . . .	97
(3) Refund entries . . . . .	98
(4) Printing of non-add code numbers . . . . .	98
9. Guest check entries (PBLU and Manual PB) . . . . .	99
(1) PBLU system . . . . .	99
Error messages . . . . .	101
(2) Manual PB+/PB- entry system . . . . .	102
(3) Deposit entries . . . . .	105
(4) Bill transfer . . . . .	106
(5) Non-turnover sales . . . . .	107
10. Payment treatment . . . . .	108
(1) Tip in entries . . . . .	108
(2) Currency exchange . . . . .	110
(3) Received on account entries . . . . .	111
(4) Paid out entries . . . . .	112
(5) No sale (exchange) . . . . .	113
(6) Transfer a cash deal into a cheque or credit deal . . . . .	113
• <b>CORRECTION</b> . . . . .	<b>114</b>
1. Correction of the last entry (direct void) . . . . .	114
2. Correction of the next-to-last or earlier entries (indirect void) . . . . .	115
3. Correction of the subtotal (subtotal void) . . . . .	115
4. Handling of errors found after receipt issuance . . . . .	116
• <b>VARIOUS PRINTING</b> . . . . .	<b>117</b>
1. Copy receipt printing . . . . .	117
2. Guest check copy . . . . .	118
3. Validation printing function . . . . .	119
3-1. Validation slip setting and printing . . . . .	119
3-2. The validation printing can occur just after the following registrations . . . . .	120
(1) Validation printing of item entries . . . . .	120
(2) Validation printing after the finalization of a transaction . . . . .	121
3-3. Validation slip specification . . . . .	121
• <b>OVERLAPPED CASHIER ENTRY</b> . . . . .	<b>122</b>

	Page
• CLERK CHANGE DURING TRANSACTION . . . . .	.123
• TRANSACTION FINALIZING (BY REMOVING THE CLERK KEY) . . . . .	.123
• PRINTING OF THE EMPLOYEE ARRIVAL AND DEPARTURE TIMES . . . . .	.124
• MANAGER MODE . . . . .	.124
• TIP PAID ENTRIES . . . . .	.125
• CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT) . . . . .	.126
• TIME DISPLAY AND AUTOMATIC UPDATING OF THE DATE . . . . .	.127
• NORMAL/HAPPY HOUR PRICE SELECTION . . . . .	.128
• AUTOMATIC KEY FUNCTION . . . . .	.129
• READING (X) AND RESETTING (Z) OF SALES TOTALS . . . . .	.130
— SAMPLE REPORTS — . . . . .	.133
• COMPULSORY CASH/CHEQUE DECLARATION . . . . .	.147
• TRAINING MODE . . . . .	.149
• OPERATOR MAINTENANCE . . . . .	.150
1. In case of power failure . . . . .	.150
2. In case of printer's motor locking . . . . .	.150
3. Paper roll near-end sensing function (only for journal paper) < option > . . . . .	.151
4. Installing and removing the paper roll . . . . .	.151
5. Installing the ink ribbon cassette . . . . .	.154
6. Ink refill . . . . .	.155
7. Removing the till and the drawer . . . . .	.156
8. Opening the drawer by hand . . . . .	.156
9. Before calling for service . . . . .	.157
– Program resetting – . . . . .	.157
• LIST OF OPTIONS . . . . .	.158
• SPECIFICATIONS . . . . .	.159
• SLIP PRINTER (OPTION) MODEL ER-31SP . . . . .	.161
• KITCHEN PRINTER (OPTION) MODEL ER-02RP . . . . .	.172

[Click here to download the full manual at THE-CHECKOUT-TECH.COM](http://THE-CHECKOUT-TECH.COM)