SHARP

e eerronic cash register

MODIL ER-4100 ER-4110

SS

INSTRUCTION MANUAL



Workshow Model ER-4100.

If undue force is applied to the drawer, the cash register will become unstable.

CAUTION:

The socket-outlet shall be installed near the equipment and shall be easily accessible.

VORSICHT:

Die Netzsteckdose muß nahe dem Gerät angebracht und leicht zugänglich sein.

ATTENTION:

La prise de courant murale devra être installée à proximité de l'équipement et devra être facilement accessible.

AVISO:

El tomacorriente debe estar instalado cerca del equipo y debe quedar bien accesible.

VARNING:

Det matande vägguttaget skall placeras nära apparaten och vara lätt åtkomligt.

This apparatus complies with the requirements of EN 55014, 02, 1987 and BS 800: 1988.

Dieses Gerät stimmt mit den Bedingungen der EN 55014, 02. 1987 überein.

Cet appareil répond aux spécifications de la EN 55014, 02, 1987,

Dit apparaat voldoet aan de vereiste EN 55014, 02. 1987.

Apparatet opfylder kravene i EN 55014, 02. 1987.

Questo apparecchio è stato prodotto in conformità alle EN 55014, 02. 1987.

Αύτή ή συσκευή τηρεῖ τίς προδιαγραφές τῆς ΕΝ 55014, 02. 1987.

Este aparelho responde às especificações da EN 55014, 02. 1987.

Este aparato cumple las especificaciones de la EN 55014, 02. 1987.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT:

Zur vollständigen elektrischen Trennung vom Netz, den Netzstecker ziehen.

ATTENTION:

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-4100/4110.

Please read this Manual carefully before operating your machine in order to gain a full understanding of its functions and performance.

Please keep this Manual for further reference. It will help you, if you encounter any operational problems.

When you read this manual, please read "ER-4100 S/ER-4110 S" for the expression "ER-4100/ER-4110" used in the text.

IMPORTANT

- Install your ER-4100/4110 in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.
 Installation in such locations could cause damage to the cabinet and the electrical components.
- The register should not be operated by an individual with wet hands.

 The water could seep into the interior of the ER-4100/4110 and cause component failure.
- When cleaning your register, use a dry, soft cloth. Never use volatile liquid, such as benzine and thinner.

The use of such chemicals will lead to discoloration or deterioration of the cabinet.

- The ER-4100/4110 register plugs into any standard wall outlet (local voltage ±10% AC). Other electrical devices on the same electrical circuit could cause the ER-4100/4110 to malfunction.
- If the register malfunctions, call your local dealer for service Do not try to repair the register yourself.

PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used.

Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer.

In order to charge the batteries, the machine must be plugged in and its power switch must be set to the "ON" position. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

				Page
•	РНУ	/SICA	L CHARACTERISTICS OF THE ER-4100/4110 REGISTER	. 7
•	KEY	/BOA	RD LAYOUT AND SWITCH AND KEY DESCRIPTIONS	. 10
	1.		oard	
	2.	Mode	switch and mode keys	. 14
	3.	Cashi	er and clerk keys	. 15
	4.	Recei	ipt ON-OFF switch	. 16
•	DIS	PLAYS	3	. 17
	1.	Opera	ator display	. 17
	2.	Custo	omer display	. 20
•	GEN		L INSTRUCTIONS	
•	HO	N TO	PROGRAM ALPHANUMERIC CHARACTERS	. 22
•	PRC	GRA	MMING	. 24
	1.		ng the date and time	
		(1)	Setting the date (#260)	. 24
		(2)	Setting the time (#261)	. 25
	2.	Settir	ng the register number (#262)	. 25
	3.		ng the consecutive number (#263)	
	4.	Progr	amming for departments	. 26
		(1)	Functional programming (#210)	
		(2)	Assigning departments to groups (commission/sign & group) (#215)	. 28
		(3)	Programming of tax status (#211)	
		(4)	Setting a limit amount (HALO) of entry (#212)	
		(5)	Programming of unit prices (#110)	
		(6)	Programming of department text (# 214)	
		(7)	Assigning print stations to departments (#218)	
		(8)	Positioning of department keys (#219)	
	5.	_	amming for PLUs	
		(1)	Definition of PLU codes and department assignment (#220)	
		(2)	Assigning of PLUs to commission groups (#225)	
		(3)	Programming of tax status (#221)	
		(4)	Programming of PLU level start codes (#227)	
		(5)	Programming of the opening time range (#222)	
		(6)	Programming of set PLUs (# 226)	
		(7)	Programming of unit prices (#120)	
		(8)	Programming of PLU text (#224)	
		(9)	Assigning print stations to PLUs (#228)	
		(10)	Positioning of direct PLU keys (#229)	
		(11)	Programming of stock quantity (#127, #125 and #126)	
		(12)	Programming of minimum stock quantity (#128)	
		(13)	Programming for a range of PLUs (#255, #256 and #258)	. 47

	Page
	(14) Programming of time unit parameter (#223) 50
6.	Programming for SKUs
	(1) Definition of SKU codes (#200)
	(2) Programming of SKU text (#204) 52
	(3) Assigning SKU codes and portion size to PLU (#121) 53
	(4) Programming of SKU stock quantity (#107, #105 and #106) 53
	(5) Programming of minimum stock quantity (#108) 55
7.	Function parameter programming 55
	(1) Programming the rate (#130)
	(2) Function programming 1 (for CA, CH, CR) (#230) 57
	(3) Function programming 2 (for %, \ominus) (#231)
	(4) Function programming 3 (HALO) (#232)
	(5) Programming of function text (#234) 60
	(6) Programming of the change limit (#235) 66
	(7) Programming of the operating mode (#236) 67
	(8) Programming of the tax exemption limit (#233) 68
	(9) Programming a denomination of bank note (#237) 69
8.	Clerk programming
	(1) Clerk code definition (#141)
	(2) Assigning of the names of clerks (#144)
	(3) Functional programming (#240)
_	(4) Programming of guest check (GLU/PBLU) codes (#242)
9.	Cashier programming
	(1) Cashier code definition (#150)
	(2) Programming of the cashier name (#154)
40	(3) Assigning cashiers to drawers (#250)
10.	Programming of validation printing and slip printing (#270)
11.	Programming for optional feature selection (#271)
12.	Setting the consecutive number of bill (#266)
13.	Programming of GLU header text (#267)
14.	Free text programming (#284)
15.	Logo text Programming (#264)
16.	Programming of texts to be printed on slip (#274)
17.	Programming of cumulated bill text (#268)
18.	Programming of currency descriptor text (#294)
19.	Programming of general report format (#205)
20.	Selection X1/Z1 and X2/Z2 reports to be printed in the stacked
0 1	report sequence (#295, #296, #297, #298 and #299)
21.	Secret codes to control access to PGM1 mode, and Z1 and Z2 reports
22	(#290, #291 and #292)
22. 23.	Programming of error messages (#265)
∠J,	Readig stored programs
	(2) Sample printouts
	. (2) Sample Pillicuts

				Page
• /	TU4	ГОМА	TIC KEY FUNCTION	
•]	ГҮР	E OF	RECEIPTS	115
	1.		tion receipt type and addition + total receipt type	
	2.		e/double receipt type	
	3.		e/double + total receipt type	
	4.	-	e/double + addition mode receipt type	
	5.		tion + single receipt type	
• [REC	EIPT	SHIFT	120
			ATIONS	
• ,			ations for entries	
			warning	
	1.		assignment	
	2.		er assignment	
	3.		entries	
		(1)	Single item entries	
		(2)	Repeat entries	
		(3)	Multiplication entries	
		(4)	Single item cash sale (SICS) entries	
	4.	Displa	ay of subtotal	
		(1)	Merchandise subtotal	128
		(2)	Difference subtotal	128
	5.	Final	ization of transaction	129
		(1)	Cash or cheque tendering	129
		(2)	Mixed tendering (Cheque + cash)	129
		(3)	Cash or cheque sale that does not need a tender amount entry	130
		(4)	Credit sale	
		(5)	Mixed-tender sale (cash or cheque tendering + credit sale)	
		(6)	Tender operation with bank note keys	
	6.		ency exchange	
	7.		outation of VAT/TAX	
		(1)	•	
		(2)	Manual VAT 1 — 8 system	
		(3)	Auto VAT 1 — 8 system	
	_	(4)	Auto TAX 1 — 8 system	
	8.		shift entries	
	9.		nt calculations (premium or discount)	
		(1)	Percent calculation for item entries	
		(2)	Percent calculation for the subtotal	
1	0.		Ction	
		(1)	Deduction for item entries	
		(2)	Deduction for the subtotal	13/

	Page				
11.	Refund entries				
12.	Half-pint entries				
13.	No sale (exchange)				
14.	Set PLU entries				
15.	With/Without function				
16.	PLU level shift (for direct PLU)141				
17.	Unit price shift operation for PLU143				
	(1) Price level selection by clerk price level programming143				
	(2) Price level selection by the PRICE SHIFT key				
18.	Time PLU entries				
19.	Printing of non-add code numbers				
20.	Guest check copy				
21.	Free text printing				
22.	Received on account entries				
23.	Paid out entries				
24.	Transfer a cash deal into a cheque or credit deal				
25.	Guest check entries (PBLU/GLU)				
	(1) PBLU system				
	(2) GLU system				
	(3) Error messages				
26.	Service charge				
27.	Deposit entries				
28.	Transferring guest checks out/in				
	(1) Transferring guest checks out				
	(2) Transferring guest checks in				
29.	Non-turnover sales				
30.	Tip in entries				
31.	Bill totalizing				
32.	Intermediate GLU reading				
33.	Bill				
34.	VIP sales				
COF	RRECTION				
	Correction of the last entry (direct void)				
	Correction of the next-to-last or earlier entries (indirect void)				
CORRECTION AFTER FINALIZING A TRANSACION (AFTER GENERATING A RECEIPT)					
•	·				
COP	Y RECEIPT PRINTING170				
TRA	TRANSACTION FINALIZING (BY REMOVING THE CLERK KEY)171				
OVE	EDIADDED CLEDK ENTDY				

	Page
• VALIDATION PRINTING FUNCTION	173
MANAGER MODE	176
• TIP PAID ENTRIES	177
• PRINTING OF THE EMPLOYEE ARRIVAL AND DEPARTURE TIMES	178
• TIME DISPLAY AND AUTOMATIC UPDATING OF THE DATE	179
• READING (X) AND RESETTING (Z) OF SALES TOTALS	
• COMPULSORY CASH/CHEQUE DECLARATION	211
• TRAINING MODE	213
• IN CASE OF POWER FAILURE	214
• IN CASE OF PRINTER'S MOTOR LOCKING	214
PAPER ROLL NEAR-END SENSING FUNCTION	
(ONLY FOR JOURNAL PAPER)	215
• INSTALLING AND REMOVING THE PAPER ROLL	216
• INSTALLING THE INK RIBBON CASSETTE	219
• INK REFILL	220
• REMOVING THE TILL AND THE DRAWER	221
OPENING THE DRAWER BY HAND	221
MOVING THE DRAWER FROM THE REGISTER	222
BEFORE CALLING FOR SERVICE	223
LIST OF OPTIONS	224
• SPECIFICATIONS	225
SLIP PRINTER (OPTION)	227

This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store:

https://the-checkout-tech.com/manuals/sharp/ER-4100S and ER-4110S installation man

And our free Online Keysheet maker:

https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM