SHARP

SHARP ELECTRONIC CASH REGISTER



INSTRUCTION MANUAL



CONTENTS

	age
• PHYSICAL CHARACTERISTICS OF THE ER-4230F REGISTER	5
KEYBOARD LAYOUT AND DUTIES OF SWITCH AND KEYS	6
1. Mode switch and mode keys	7
2. Cashier keys (A, B, D, E, K, and M)	8
3. Receipt ON-OFF switch	8
• DISPLAYS	9
FOR THE MANAGER	,11
• PROGRAMMING	12
1. Setting the date and time (#250, 251).	
2. Setting the register number (#252).	
3. Setting the consecutive number (#253).	
4. Automatic tax calculation function.	
(1) Tax table (#240)	
(2) Tax rate (#241)	
5. High Amount Lockout (HALO) and Low Amount-Lockout	
(LALO) limit tables (#242, 243)	.18
6. Departments	21
(1) Functional programming 1 (#210)	
(2) Functional programming 2 (#211).	23
(3) Groups (#212).	
(4) Alphanumeric characters (#214)	
(5) Unit prices (#110)	
7. Price lookup (PLU) programming (option).	
(1) PLU/subdepartment mode and the department assignment (# 121).	
(2) Unit prices, and base quantities or weights for split-pricing entries (# 120).	
(3) Sign (+/-), tax status, food stamp status, and digit entry limits (#221).	
(4) Alphanumeric characters (#224).	
(5) Entering stock quantities (option) (# 122)	
8. [%Tl and [%2] keys (#230, 130). 9. ICPI (manufacturer's coupon) and coupon (store coupon) keys (#231).	
10. [6] key (#232)	
11. HALO/LALO amount entry limits for function keys and sentinel (#233).	
12. Alphanumeric characters for function keys (#234).	
13. Journal print form (#254).	
14. Limit to the number of times of validation printing (#255).	
15. Availability of the CLKX/Z mode (#256)	
16. Availiability of refund entries and indirect voids in the "REG" mode (#257)	
17. Limit to the number of times of slip printing (option) (#258).	
18. Alphanumeric characters for logo messages (#259).	42
19. Alphanumeric characters for Previous Balance lookup (PB lookup) numbers (#260).	44
20. Clerk number programming (# 140)	
21. Activating and cancelling the TRAINING mode (# 157, 158).	
22. Reading stored programs.	47
• READING (X) AND RESETTING (Z) OF SALES TOTALS	54
- DAILY TOTALS -	
·	
Full reading and resetting of sales totals	

	(2) Cash in drawer (CATL) formula	
	(3) Grand total (GT) formula.	.61
2.	Cashier reading and resetting.	
	(1) Individual cashier reading and resetting	62
	(2) Full cashier reading and resetting	64
3.	Clerk reading and resetting.	65
	(1) Individual clerk reading and resetting	65
	(2) Full clerk reading and resetting	66
4.	Cash in drawer reading	
	Full department reading (including optional departments).	
	Reading of sales information for individual programmed groups.	
	Reading of sales information for manual groups.	
	Reading and resetting of sales information for a block of PLUs/subdepartments (option)	
	Reading of sales information for PLUs/subdepartments belonging to an individual	, ,
9.	department (option)	72
40		
	Reading of PLU stock quantity (option).	
	Reading and resetting of hourly sales information (option).	
12.	Reading of sales information for PB lookups (option)	.75
DED	IODIC CONSOLIDATION -	
1.	Reading and resetting of periodic consolidation for all departments	.*
	(including optional departments)	
	Reading of periodic consolidation for individual programmed department groups	
	Reading of periodic consolidation for manual department groups.	
		.77
4.	Reading and resetting of periodic consolidation for all clerks.	
	Reading and resetting of periodic consolidation for all clerks. CHINE CLOSE FUNCTION	.78
• MA	CHINE CLOSE FUNCTION	
MAOVI	CHINE CLOSE FUNCTION	
MAOVICOI	CHINE CLOSE FUNCTION	.79
MAOVICOI	CHINE CLOSE FUNCTION	.79
MAGOVICOIA F	CHINE CLOSE FUNCTION	.79 .81
MACOVICOIA FTIM	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE	.79 .81 .82
MACOVICOIA FTIM	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT).	.79 .81 .82
MACOVICOIA FTIM	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE	79 81 82 83
MACOVICOIA FTIM	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries.	79 81 82 83
• MAG • OVI • COI A F • TIM FOR	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning.	79 81 82 83 84 84
• MAC • OVI • COI A F • TIM FOR *	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES.	79 81 82 83 84 84 85
• MAC • OVI • COI A F • TIM FOR *	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning.	79 81 82 83 84 84 85
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES.	.79 .81 .82 .83 .84 .84 .85
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries.	.79 .81 .82 .83 .84 .84 .85 .85
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items.	.79 .81 .82 .83 .84 .84 .85 .86
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries.	.79 81 82 83 84 84 85 86 86 87
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries.	.79 .81 .82 .83 .84 .84 .85 .86 .86 .87 .87
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries.	.79 .81 .82 .83 .84 .84 .85 .86 .86 .87 .87
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries.	.79 .81 .82 .83 .84 .84 .85 .86 .86 .87 .87 .88 .89
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries.	.79 .81 .82 .83 .84 .84 .85 .86 .86 .87 .87 .88 .89
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected	.79 .81 .82 .83 .84 .85 .86 .87 .87 .88 .89 .90
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F).	.79 .81 .82 .83 .84 .85 .86 .87 .87 .88 .89 .90
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F). @ Automatic scale entries (this function is available when an optional scale is	.79 .81 .82 .83 .84 .84 .85 .86 .87 .87 .88 .89 .90
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F). @ Automatic scale entries (this function is available when an optional scale is connected to your register.)	.79 .81 .82 .83 .84 .84 .85 .86 .87 .87 .88 .89 .90 .90
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). IE DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F). @ Automatic scale entries (this function is available when an optional scale is connected to your register.). (7) Single item cash sale (SIS) entries.	.79 .81 .82 .83 .84 .84 .85 .86 .87 .87 .88 .89 .90 .91 .92
• MA(• OVI • COI A F • TIM FOR * * 1.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F). @ Automatic scale entries (this function is available when an optional scale is connected to your register.). (7) Single item cash sale (SIS) entries. © SIS#1 entries.	.79 .81 .82 .83 .84 .84 .85 .86 .87 .87 .88 .89 .90 .90 .91 .92 .92
• MAC • OVI • COI A F • TIM FOR * 1. 2.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F). © Automatic scale entries (this function is available when an optional scale is connected to your register.). (7) Single item cash sale (SIS) entries. © SIS#1 entries.	.79 .81 .82 .83 .84 .84 .85 .86 .87 .87 .88 .89 .90 .90 .91 .92 .92 .92
• MAC • OVI • COI A F • TIM FOR * 1. 2.	CHINE CLOSE FUNCTION. ERRIDE ENTRIES. RRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING RECEIPT). E DISPLAY AND AUTOMATIC UPDATING OF THE DATE. THE OPERATOR. Preparations for entries. Error warning. FRIES. Clerk number entries. Entries of sold items. (1) Single item entries. (2) Repeat entries. (3) Multiplication entries. (4) Successive multiplication entries. (5) Split-pricing entries. (6) Scale entries. (7) Manual scale entries (this function is used when no optional scale is connected to your ER-4230F). @ Automatic scale entries (this function is available when an optional scale is connected to your register.). (7) Single item cash sale (SIS) entries. © SIS#1 entries.	.79 .81 .82 .83 .84 .84 .85 .86 .87 .87 .88 .89 .90 .90 .91 .92 .92 .92

(1) Cash or check tendering	
(2) Mixed tendering (check + cash)	
(3) Cash or check sale that does not need a tender amount entry.	
(4) Charge (credit) sale.	
(5) Mixed-tender sale (cash or check tendering + charge tendering)	
5. Automatic tax	
6. Manual tax	
7. Automatic-tax delete.	
8. Tax status shift	100
9. Food stamp status shift	
10. Percent calculations (premium or discount)	
11. Reduction [01	
13. Refund entries.	
14. Printing of non-add code numbers	
15. Received on account (R/A) entries	
16. Paid out (P/0) entries	
17. Previous balance (PB) and credit balance (CB) entries.	
18. Previous balance lookup (PB lookup) entries (option).	
19. No sale (exchange)	
• CORRECTION	
 Correction of the last entry (direct void). Correction of the next-to-last or earlier entries (indirect void). 	
Correction of the flext-to-last of earlier entries (indirect void). Correction of incorrect entries not handled by the direct or indirect void function.	
VALIDATION PRINTING FUNCTION	
COPY RECEIPT PRINTING	
IN CASE OF POWER FAILURE	119
• PAPER ROLL NEAR-END SENSING FUNCTION (ONLY FOR JOURNAL PAPER)	119
INSTALLING AND REMOVING THE PAPER ROLL	120
INSTALLING THE INK RIBBON CASSETTE	123
• INK REFILL	124
REMOVING THE TILL AND THE DRAWER	
OPENING THE DRAWER BY HAND	
	_
BEFORE CALLING FOR SERVICE	
SPECIFICATIONS	127
LIST OF OPTIONS	129
SLIP PRINTER (OPTION)	130
COIN DISPENSER (OPTION)	139
,	

This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store:

https://the-checkout-tech.com/manuals/sharp/ER-4230 instruction manual.html

And our free Online Keysheet maker:

https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM