

# SHARP

# SERVICE MANUAL



## MODEL ER-4550

### ELECTRONIC CASH REGISTER

- PRINTER: MODEL-522
- MODE KEY NO.: GZ05

#### CAUTION

EXTREME CAUTION MUST BE TAKEN WHEN SERVICING THIS MACHINE. EVEN THOUGH THE MODE SWITCH IS IN THE OFF POSITION, VOLTAGE IS STILL SUPPLIED TO THE ENTIRE MACHINE. WHEN WORKING ON THIS MACHINE MAKE SURE THAT THE POWER CORD IS REMOVED FROM THE WALL OUTLET.

SHARP CORPORATION

## CONTENTS

1. REFERENCE DOCUMENTS .....	1
2. SERVICE SPECIAL TOOL .....	1
2-1. Expansion Cable .....	1
2.2. Expansion PWB .....	1
2-3. Soldering Iron Chip For LSI .....	1
3. CONFIGURATION .....	2
4. OUTLINE OF FUNCTIONS .....	3
4-1. General Merchandise .....	3
4-2. Charge Poster Dedicated Functions .....	3
4-3. Devices/Others .....	4
5. SPECIFICATIONS .....	4
5-1. Rating .....	4
5-2. Keyboard .....	5
5-3. Display .....	7
5-4. Printer .....	9
5-5. Print Format .....	12
5-6. Drawer/Lock .....	15
5-7. Memories .....	16
6. OPTIONS .....	19
7. PROCESS WITH POWER FAILURE .....	20
<u>8. PRECAUTIONS ON SERVICING</u> .....	20
9. POWER CONNECTION .....	22
10. SRV MODE .....	23
10-1. Program Reset .....	23
10-2. Master Reset (All Clear) .....	23
10-3. Service Mode Programming .....	23
10-4. Reading of Service Mode Programming .....	31
11. PGM MODE .....	32
11-1. Program Mode Programming .....	32
11-2. Reading of PGM Mode Programming .....	38
12. X & Z MODE .....	39
13. DATE MODE .....	39
14. BASIC OPERATION FLOW .....	39
14-1. General Merchandise .....	39
14-2. Charge Poster .....	41
14-3. Merchandise Return .....	42
14-4. Cash/Check, Deposit, Paid Out .....	43
15. CIRCUIT DESCRIPTIONS .....	44
15-1. Basic Clock Pulse ( $\phi 0, \phi$ ) .....	44
15-2. Reset Circuit .....	45
15-3. ROM, RAM Control .....	47
15-4. Interrupt Request Input Control Circuit .....	50
15-5. Key, Mode SW, Clerk SW Scanning .....	52
15-6. Display Control .....	54
15-7. Printer Control .....	59
15-8. Drawer Control .....	67
15-9. Power Supply Circuit .....	69

[Click here to download the full manual at THE-CHECKOUT-TECH.COM](http://THE-CHECKOUT-TECH.COM)