

# SHARP

## ELECTRONIC CASH REGISTER

MODEL **ER-4630**

### INSTRUCTION MANUAL



**CAUTION:**

For a complete electrical disconnection pull out the mains plug.

## INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-4630.

Please read this Manual carefully before operating your machine in order to gain a full understanding of its function and performance.

Please keep this Manual for further reference, it will help you, if you encounter any operational problems.

## IMPORTANT

- **Install your ER-4630 in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.**  
Installation in such locations could cause damage to the cabinet and the electrical components.
- **The register should not be operated by an individual with wet hands.**  
The water could seep into the interior of the ER-4630 and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use volatile liquid, such as benzene and thinner.**  
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The ER-4630 register plugs into any standard wall outlet (local voltage  $\pm 10\%$  AC).**  
Other electrical devices on the same electrical circuit could cause the ER-4630 to malfunction.
- **If the register malfunctions call your local dealer for service – Do not try to repair the register yourself.**

## PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.


As you know, all batteries will, in time, dissipate their charge even if not used.

Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to be recharged for a period of 24 to 48 hours prior to use by the customer.

In order to charge the batteries, the machine must be plugged in and left on in the "REGISTER MODE". This recharging precaution can prevent unnecessary initial service calls.

# CONTENTS

	Page
Physical characteristics of the ER-4630 register .....	5
Keyboard layout and duties of switch and keys .....	7
Description of the display .....	10
Types of receipts .....	12
Overflow error alarm .....	14
TAB and 1/2 key .....	15
Programming .....	16
1. Machine number setting .....	16
2. Consecutive number setting .....	16
3. Programming for departments .....	17
(1) Programming departmental preset unit prices .....	17
(2) Programming departmental text characters .....	17
(3) Programming tax status, status & grouping, single/double/SICS (single-item cash sale) receipt and limitation for departments, as well as preset unit price registration "Able/Unable" .....	19
4. Programming for PLU/sub-departments (option) .....	20
(1) Programming of PLU/sub-department free codes, departments and PLU/sub-dept. "Able"/"Unable" .....	20
(2) Programming a unit price for PLU .....	21
(3) Programming a text for PLU/sub-department .....	22
(4) Programming stock quantity for PLU/sub-department .....	22
(5) Changing department key to direct PLU key .....	23
5. Programming for function keys .....	24
(1) Programming the limit to entries .....	24
(2) Programming a text .....	25
(3) Programming a percentage (% and VAT) .....	26
6. Programming for clerk/cashier .....	27
(1) Programming clerk number .....	27
(2) Programming clerk's or cashier's name .....	28
(3) Programming clerk's provision rate .....	29
(4) Assigning clerk's or cashier's drawer .....	29
7. Programming other texts .....	30
(1) Programming text characters for free text print .....	30
(2) Programming text characters for logo text print .....	30
8. Programming for validation printing (VP) counter .....	33
9. Programming for slip printer (option) .....	33
(1) Programming the initial line spacing of slip printing .....	33
(2) Programming the line-to-line space at the time of two-line validation Printing .....	34
10. Programming for journal select, slip select, or PB Look Up slip select .....	34

	Page
11. Programming exemption point in auto tax 1 & 2 specifications .....	38
12. Programming the function keys for automatic key entries .....	38
13. Reading of the contents of programming in the PGM mode .....	40
<b>Training mode</b> .....	<b>42</b>
<b>Date and time</b> .....	<b>43</b>
1. Setting .....	43
2. Time display .....	43
3. Printing of the employee arrival and departure times, etc. ....	44
<b>Registrations</b> .....	<b>45</b>
1. Departmental registration .....	45
2. PLU/sub-department registration (option) .....	48
3. Sub-total (ST) .....	50
4. Premium, discount or deduction registration (%1, %2, ⊖) .....	50
5. Computation of VAT (Value Added Tax)/Tax .....	51
6. Auto key entry .....	53
7. Type of sales .....	53
8. Previous Balance (PBAL)/New Balance (NBAL) registration .....	54
9. Previous Balance Look Up (PB Look Up) registration (option) .....	58
10. Refund registration .....	60
11. Deposit .....	60
12. Received-on-account (RA), paid-out (PO), no-sale (NO) .....	61
13. Non-add number .....	61
14. Alphanumeric text printing .....	62
<b>Correction</b> .....	<b>62</b>
1. Correction of entry number .....	62
2. Direct void (Last item void) .....	62
3. Indirect void (Past item void) .....	62
4. Correction after the finish of a complete transaction (  mode) .....	63
<b>After-Transaction receipting</b> .....	<b>68</b>
<b>Validation print function</b> .....	<b>69</b>
<b>Compulsory cash/cheque declaration</b> .....	<b>71</b>
<b>Reading and resetting of sales (daily total)</b> .....	<b>72</b>
<b>Reading and resetting of sales (monthly total) — option</b> .....	<b>78</b>
<b>In case of power failure</b> .....	<b>78</b>
<b>Paper roll near-end sensing function (only for journal paper)</b> .....	<b>79</b>
<b>Installing and removing the paper roll</b> .....	<b>80</b>
<b>Installing the ink ribbon cassette</b> .....	<b>83</b>
<b>Ink refill</b> .....	<b>85</b>
<b>Removing the till and the drawer</b> .....	<b>87</b>
<b>Opening the drawer by hand</b> .....	<b>87</b>
<b>Before calling for service</b> .....	<b>88</b>

	Page
<b>Specifications</b> . . . . .	89
<b>List of options.</b> . . . . .	91
<b>Slip printer (option)</b> . . . . .	92
Model ER-46SP1	
<b>Coin dispenser interface unit (option)</b> . . . . .	103
Model ER-37DI	

[Click here to download the full manual at THE-CHECKOUT-TECH.COM](http://THE-CHECKOUT-TECH.COM)