

Sharp ER-A450 instruction Manual

SHARP®

ELECTRONIC CASH REGISTER

MODEL
ER-A450

INSTRUCTION MANUAL



CAUTION:

The cash register and the remote drawer should be securely fitted to the supporting platforms to avoid instability when the drawers are open.

CAUTION:

The socket-outlet shall be installed near the equipment and shall be easily accessible.

VORSICHT:

Die Netzsteckdose muß nahe dem Gerät angebracht und leicht zugänglich sein.

ATTENTION:

La prise de courant murale devra être installée à proximité de l'équipement et devra être facilement accessible.

AVISO:

El tomacorriente debe estar instalado cerca del equipo y debe quedar bien accesible.

VARNING:

Det matande vägguttaget skall placeras nära apparaten och vara lätt åtkomligt.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT:

Zur vollständigen elektrischen Trennung vom Netz den Netzstecker ziehen.

ATTENTION:

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

This equipment complies with the requirements of Directives 89/336/EEC and 73/23/EEC as amended by 93/68/EEC.

Dieses Gerät entspricht den Anforderungen der EG-Richtlinien 89/336/EWG und 73/23/EWG mit Änderung 93/68/EWG.

Ce matériel répond aux exigences contenues dans les directives 89/336/CEE et 73/23/CEE modifiées par la directive 93/68/CEE.

Dit apparaat voldoet aan de eisen van de richtlijnen 89/336/EEG en 73/23/EEG, gewijzigd door 93/68/EEG.

Dette udstyr overholder kravene i direktiv nr. 89/336/EEC og 73/23/EEC med tillæg nr. 93/68/EEC.

Quest' apparecchio è conforme ai requisiti delle direttive 89/336/EEC e 73/23/EEC, come emendata dalla direttiva 93/68/EEC.

Η εγκατάσταση αυτή ανταποκρίνεται στις απαιτήσεις των οδηγιών της Ευρωπαϊκής Ένωσης 89/336/ΕΟΚ και 73/23/ΕΟΚ, όπως οι κανονισμοί αυτοί συμπληρώθηκαν από την οδηγία 93/68/ΕΟΚ.

Este equipamento obedece às exigências das directivas 89/336/CEE e 73/23/CEE, na sua versão corrigida pela directiva 93/68/CEE.

Este aparato satisface las exigencias de las Directivas 89/336/CEE y 73/23/CEE, modificadas por medio de la 93/68/CEE.

Denna utrustning uppfyller kraven enligt riktlinjerna 89/336/EEC och 73/23/EEC så som kompletterade av 93/68/EEC.

Dette produktet oppfyller betingelsene i direktivene 89/336/EEC og 73/23/EEC i endringen 93/68/EEC.

Tämä laite täyttää direktiivien 89/336/EEC ja 73/23/EEC vaatimukset, joita on muutettu direktiivillä 93/68/EEC.

INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-A450.

Please read this Manual carefully before operating your machine in order to gain full understanding of functions and features.

Please keep this manual for future reference, it will help you, if you encounter any operational problems.

IMPORTANT

- **Install your register in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.**
Installation in such locations could cause damage to the cabinet and the electronic components.
- **The register should not be operated by an individual with wet hands.**
The water could seep into the interior of the register and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use solvents, such as benzine and/or thinner.**
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The register plugs into any standard wall outlet (Official (nominal) voltage).**
Other electrical devices on the same electrical circuit could cause the register to malfunction.
- **If the register malfunctions, call your local dealer for service - do not try to repair the register yourself.**
- **For a complete electrical disconnection, pull out the mains plug.**

PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used. Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer. In order to charge the batteries, the machine must be plugged in. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

INTRODUCTION.....	1
IMPORTANT.....	1
PRECAUTION.....	1
CONTENTS.....	2
EXTERNAL VIEW	6
Front view.....	6
Rear view.....	6
PRINTER	7
KEYBOARD	8
1 Standard keyboard layout.....	8
2 Standard key number layout.....	9
KEYS AND SWITCHES	10
1 Mode switch and mode keys.....	10
2 Drawer lock key.....	10
DISPLAYS	11
Machine state symbols.....	11

FOR THE MANAGER

PRIOR TO PROGRAMMING	12
1 General instructions.....	12
2 How to program alphanumeric characters.....	12
Using character keys on the keyboard.....	12
Entering character codes.....	13
PROGRAMMING	15
Preparations for Programming.....	15
Direct Programming	15
1 Setting the date and time.....	15
Date.....	15
Time.....	16
2 Programming for departments.....	16
Unit price.....	16
Functional selection.....	17
3 Price lookup (PLU) programming.....	19
Unit price.....	19
Functional selection.....	19
PLU assignment to departments.....	21
4 Programming for discount keys.....	22
Deduction amount (⊖).....	22
High amount lockout (HALO) and +/- sign (⊖).....	23
5 Programming for percent keys.....	24
Percent rate (%).....	24
Sign (+/-) (%).....	24
6 Programming for exchange keys.....	25
Currency exchange rate (EX).....	25
7 Programming for the CA2, RA, PO, CH and CR keys.....	25
High amount lockout (HALO) (CA2, RA, PO, CH, and CR).....	25
8 Programming the tax rate.....	26
Tax rate.....	26

Job-Code-Based Programming	27
1 Setting the date and time.....	27
Setting the date (#2610).....	27
Setting the time (#2611).....	27
2 Setting the register and consecutive numbers	28
Setting the register number (#2612).....	28
Setting the consecutive number (#2613).....	28
3 Programming the tax rate	29
The tax rate (#2711).....	29
4 Programming for departments.....	30
Functional programming (#2110)	30
Tax status (#2111).....	31
A limit amount (HALO) of entry (#2112)	32
Alphanumeric characters (#2114)	33
Unit price (#1110).....	33
Commission group assignment (#2115).....	34
Group number (#2116).....	34
Department key positioning (#2119).....	35
5 Price lookup (PLU) programming	36
Department assignment (#1200, 2230)	37
Unit prices (#1210)	38
Base quantity (#1211)	38
PLU/subdepartment mode (#2210, 2231)	39
Sign (+/-) and tax status (#2211, 2232).....	40
Alphanumeric characters (#2214)	41
Assigning of PLUs to commission groups (#2215, 2235).....	42
Link PLU (#2220).....	43
Direct PLU key positioning (#2219).....	43
6 Programming for miscellaneous keys.....	44
Programming the rate (<input type="checkbox"/> , <input type="checkbox"/> EX, commission) and the deduction (<input type="checkbox"/>) (#1310).....	44
A limit amount (HALO) of entry (<input type="checkbox"/> , <input type="checkbox"/> RA, <input type="checkbox"/> PO) (#2312).....	45
+/- sign (<input type="checkbox"/> , <input type="checkbox"/>) (#2311)	46
Item % or subtotal % selection (<input type="checkbox"/>) (#2315).....	47
Percent rate limitation (<input type="checkbox"/>) (#2313).....	47
Item <input type="checkbox"/> or subtotal <input type="checkbox"/> selection (<input type="checkbox"/>) (#2316)	48
7 Programming for the (<input type="checkbox"/> TL, <input type="checkbox"/> CA2, <input type="checkbox"/> CH1) through <input type="checkbox"/> CH4, and <input type="checkbox"/> CR1) through <input type="checkbox"/> CR4) keys.....	49
Functional programming (#2320)	49
High amount lockout (HALO) for cheque change, cheque cashing, and cash in drawer (#2321).....	50
High amount lockout (HALO) of entry for media keys (#2322).....	50
8 Programming of function text.....	51
Programming (#2314).....	51
List of function texts.....	52
9 Cashier and clerk programming	53
Cashier code (#1500).....	53
Cashier name (#1514).....	54
Functional programming for cashiers (#2510).....	54
Clerk code (#1400).....	55
Clerk name (#1414).....	55
10 Programming various functions	56
Programming for optional feature selection (#2616)	56
Programming feed line after printing of a difference subtotal (#2615).....	59
Programming alarm length of time with drawer opening (#2617).....	59
Programming of logo messages (#2614)	60
Selection of X1/Z1 and X2/Z2 reports to be printed in the stacked report sequence (#2620).....	61
Setting the time range for hourly reports (#2619).....	62
RS-232C channel assignment (#2690)	62

Secret codes to control access to the PGM1 mode, X1/Z1 mode and X2/Z2 mode (#2630, 2631, 2632)	63
Currency description text programming (#2334)	63
Functional programming for the printer (#2990)	64
Assigning the drawer number to the drawer for foreign currency (#2680)	64
Setting the AUTO key - Automatic sequencing key - (#2900)	65
11 Reading stored programs	66
Program details and procedures for their reading	66
Sample printouts	67
12 Training mode	72
READING (X) AND RESETTING (Z) OF SALES TOTALS	73
1 Summary of reading (X) and resetting (Z) reports and the key operations to obtain the reports	73
2 Automatic modification of register system for introduction of EURO	75
3 Daily sales totals	76
Full reading and resetting of sales totals	76
Cashier reading and resetting	79
Clerk reading and resetting	80
Reading and resetting of hourly sales information	81
Full department reading	82
Individual group reading	83
Full group reading	83
Reading and resetting of sales information for a range of PLUs/subdepartments	84
Reading of sales information on PLUs/subdepartments associated with an individual department	85
Reading of sales information on PLUs/subdepartments whose sales amounts are zeros	85
Reading of sales information for the price amount range of PLUs/subdepartments	85
Reading of commission sales information	85
Transaction reading	86
Total in drawer reading	86
Reading and resetting of a stacked report	86
4 Periodic consolidation	87
Generality	87
Reading and resetting of daily net totals	88
Reading and resetting of a stacked report	88
COMPULSORY CASH/CHEQUE DECLARATION	89
OVERRIDE ENTRIES	91
CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT)	92

FOR THE OPERATOR

PRIOR TO ENTRIES	93
1 Preparations for entries	93
Receipt and journal paper rolls	93
Receipt ON/OFF function	93
Cashier and clerk assignment	93
2 Error warning	94
ENTRIES	95
1 Item entries	95
Single item entries	95
Repeat entries	96
Multiplication entries	96
Successive multiplication entries	97
Split-pricing entries	98
Single item cash sale (SICS)/single item finalize (SIF) entries	99
Link PLU entries	99
2 Displaying subtotals	100
Normal subtotal	100

Difference subtotal (Differ ST)	100
3 Finalization of transaction	101
Cash or cheque tendering	101
Mixed tendering (cheque + cash)	101
Cash or cheque sale that does not need any tender entry	101
Credit sale	102
Mixed-tender sale (cash or cheque tendering + credit tendering)	102
4 Computation of VAT (Value Added Tax)/tax	102
VAT/tax system	102
VAT shift entries	104
5 Auxiliary entries	104
Percent calculations (premium or discount)	104
Deduction entries	105
Refund entries	106
Printing of non-add code numbers	106
6 Payment treatment	106
Currency exchange	106
Received on account entries	107
Paid out entries	107
No sale (exchange)	108
Cashing a cheque	108
7 Automatic sequencing key (AUTO key) entries	108
CORRECTION	109
1 Correction of the last entry (direct void)	109
2 Correction of the next-to-last or earlier entries (indirect void)	109
3 Subtotal void	110
4 Correction of incorrect entries not handled by the direct or indirect void function	110
SPECIAL PRINTING FUNCTIONS	111
1 Copy receipt printing	111
2 Guest check copy	112
3 Printing of header and footer graphic logos	112
OVERLAPPED CASHIER ENTRY	113
OPERATOR MAINTENANCE	114
1 In case of power failure	114
2 In case of printer error	114
3 Thermal printing	114
Cautions in handling the printer	114
Cautions in handling the recording paper (thermal paper)	115
4 Paper roll near-end sensing function (only for the journal paper) <option>	115
5 Installing and removing the paper roll	116
Recording paper specifications	116
Installing the paper roll	116
Removing the paper roll	118
Removing a paper jam	119
6 Cleaning the print head	120
7 Removing the till and the drawer	121
8 Opening the drawer by hand	121
9 Installing the fixing angle bracket	122
10 Before calling for service	123
Error code table	123
LIST OF OPTIONS	124
SPECIFICATIONS	125

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/sharp/ER-A450 instruction manual.html](https://the-checkout-tech.com/manuals/sharp/ER-A450%20instruction%20manual.html)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)