

Sharp ER-A450 instruction Manual

SHARP®

ELECTRONIC CASH REGISTER

MODEL
ER-A450

INSTRUCTION MANUAL



CAUTION:

The cash register and the remote drawer should be securely fitted to the supporting platforms to avoid instability when the drawers are open.

CAUTION:

The socket-outlet shall be installed near the equipment and shall be easily accessible.

VORSICHT:

Die Netzsteckdose muß nahe dem Gerät angebracht und leicht zugänglich sein.

ATTENTION:

La prise de courant murale devra être installée à proximité de l'équipement et devra être facilement accessible.

AVISO:

El tomacorriente debe estar instalado cerca del equipo y debe quedar bien accesible.

VARNING:

Det matande vägguttaget skall placeras nära apparaten och vara lätt åtkomligt.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT:

Zur vollständigen elektrischen Trennung vom Netz den Netzstecker ziehen.

ATTENTION:

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

This equipment complies with the requirements of Directives 89/336/EEC and 73/23/EEC as amended by 93/68/EEC.

Dieses Gerät entspricht den Anforderungen der EG-Richtlinien 89/336/EWG und 73/23/EWG mit Änderung 93/68/EWG.

Ce matériel répond aux exigences contenues dans les directives 89/336/CEE et 73/23/CEE modifiées par la directive 93/68/CEE.

Dit apparaat voldoet aan de eisen van de richtlijnen 89/336/EEG en 73/23/EEG, gewijzigd door 93/68/EEG.

Dette udstyr overholder kravene i direktiv nr. 89/336/EEC og 73/23/EEC med tillæg nr. 93/68/EEC.

Quest' apparecchio è conforme ai requisiti delle direttive 89/336/EEC e 73/23/EEC, come emendata dalla direttiva 93/68/EEC.

Η εγκατάσταση αυτή ανταποκρίνεται στις απαιτήσεις των οδηγιών της Ευρωπαϊκής Ένωσης 89/336/ΕΟΚ και 73/23/ΕΟΚ, όπως οι κανονισμοί αυτοί συμπληρώθηκαν από την οδηγία 93/68/ΕΟΚ.

Este equipamento obedece às exigências das directivas 89/336/CEE e 73/23/CEE, na sua versão corrigida pela directiva 93/68/CEE.

Este aparato satisface las exigencias de las Directivas 89/336/CEE y 73/23/CEE, modificadas por medio de la 93/68/CEE.

Denna utrustning uppfyller kraven enligt riktlinjerna 89/336/EEC och 73/23/EEC så som kompletterade av 93/68/EEC.

Dette produktet oppfyller betingelsene i direktivene 89/336/EEC og 73/23/EEC i endringen 93/68/EEC.

Tämä laite täyttää direktiivien 89/336/EEC ja 73/23/EEC vaatimukset, joita on muutettu direktiivillä 93/68/EEC.

INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-A450.

Please read this Manual carefully before operating your machine in order to gain full understanding of functions and features.

Please keep this manual for future reference, it will help you, if you encounter any operational problems.

IMPORTANT

- **Install your register in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.**
Installation in such locations could cause damage to the cabinet and the electronic components.
- **The register should not be operated by an individual with wet hands.**
The water could seep into the interior of the register and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use solvents, such as benzine and/or thinner.**
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The register plugs into any standard wall outlet (Official (nominal) voltage).**
Other electrical devices on the same electrical circuit could cause the register to malfunction.
- **If the register malfunctions, call your local dealer for service - do not try to repair the register yourself.**
- **For a complete electrical disconnection, pull out the mains plug.**

PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used. Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer. In order to charge the batteries, the machine must be plugged in. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

| | |
|-----------------------------------|----|
| INTRODUCTION..... | 1 |
| IMPORTANT..... | 1 |
| PRECAUTION..... | 1 |
| CONTENTS..... | 2 |
| EXTERNAL VIEW | 6 |
| Front view..... | 6 |
| Rear view..... | 6 |
| PRINTER | 7 |
| KEYBOARD | 8 |
| 1 Standard keyboard layout..... | 8 |
| 2 Standard key number layout..... | 9 |
| KEYS AND SWITCHES | 10 |
| 1 Mode switch and mode keys..... | 10 |
| 2 Drawer lock key..... | 10 |
| DISPLAYS | 11 |
| Machine state symbols..... | 11 |

| |
|-----------------|
| FOR THE MANAGER |
|-----------------|

| | |
|---|----|
| PRIOR TO PROGRAMMING | 12 |
| 1 General instructions..... | 12 |
| 2 How to program alphanumeric characters..... | 12 |
| Using character keys on the keyboard..... | 12 |
| Entering character codes..... | 13 |
| PROGRAMMING | 15 |
| Preparations for Programming..... | 15 |
| Direct Programming | 15 |
| 1 Setting the date and time..... | 15 |
| Date..... | 15 |
| Time..... | 16 |
| 2 Programming for departments..... | 16 |
| Unit price..... | 16 |
| Functional selection..... | 17 |
| 3 Price lookup (PLU) programming..... | 19 |
| Unit price..... | 19 |
| Functional selection..... | 19 |
| PLU assignment to departments..... | 21 |
| 4 Programming for discount keys..... | 22 |
| Deduction amount (⊖)..... | 22 |
| High amount lockout (HALO) and +/- sign (⊖)..... | 23 |
| 5 Programming for percent keys..... | 24 |
| Percent rate (%)..... | 24 |
| Sign (+/-) (%)..... | 24 |
| 6 Programming for exchange keys..... | 25 |
| Currency exchange rate (EX)..... | 25 |
| 7 Programming for the CA2, RA, PO, CH and CR keys..... | 25 |
| High amount lockout (HALO) (CA2, RA, PO, CH, and CR)..... | 25 |
| 8 Programming the tax rate..... | 26 |
| Tax rate..... | 26 |

| | |
|--|----|
| Job-Code-Based Programming | 27 |
| 1 Setting the date and time..... | 27 |
| Setting the date (#2610)..... | 27 |
| Setting the time (#2611)..... | 27 |
| 2 Setting the register and consecutive numbers | 28 |
| Setting the register number (#2612)..... | 28 |
| Setting the consecutive number (#2613)..... | 28 |
| 3 Programming the tax rate | 29 |
| The tax rate (#2711)..... | 29 |
| 4 Programming for departments..... | 30 |
| Functional programming (#2110) | 30 |
| Tax status (#2111)..... | 31 |
| A limit amount (HALO) of entry (#2112) | 32 |
| Alphanumeric characters (#2114) | 33 |
| Unit price (#1110)..... | 33 |
| Commission group assignment (#2115)..... | 34 |
| Group number (#2116)..... | 34 |
| Department key positioning (#2119)..... | 35 |
| 5 Price lookup (PLU) programming | 36 |
| Department assignment (#1200, 2230) | 37 |
| Unit prices (#1210) | 38 |
| Base quantity (#1211) | 38 |
| PLU/subdepartment mode (#2210, 2231) | 39 |
| Sign (+/-) and tax status (#2211, 2232)..... | 40 |
| Alphanumeric characters (#2214) | 41 |
| Assigning of PLUs to commission groups (#2215, 2235)..... | 42 |
| Link PLU (#2220)..... | 43 |
| Direct PLU key positioning (#2219)..... | 43 |
| 6 Programming for miscellaneous keys..... | 44 |
| Programming the rate (<input type="checkbox"/> , <input type="checkbox"/> EX, commission) and the deduction (<input type="checkbox"/>) (#1310)..... | 44 |
| A limit amount (HALO) of entry (<input type="checkbox"/> , <input type="checkbox"/> RA, <input type="checkbox"/> PO) (#2312)..... | 45 |
| +/- sign (<input type="checkbox"/> , <input type="checkbox"/>) (#2311) | 46 |
| Item % or subtotal % selection (<input type="checkbox"/>) (#2315)..... | 47 |
| Percent rate limitation (<input type="checkbox"/>) (#2313)..... | 47 |
| Item <input type="checkbox"/> or subtotal <input type="checkbox"/> selection (<input type="checkbox"/>) (#2316) | 48 |
| 7 Programming for the (<input type="checkbox"/> TL, <input type="checkbox"/> CA2, <input type="checkbox"/> CH1) through <input type="checkbox"/> CH4, and <input type="checkbox"/> CR1) through <input type="checkbox"/> CR4) keys..... | 49 |
| Functional programming (#2320) | 49 |
| High amount lockout (HALO) for cheque change, cheque cashing, and cash in drawer (#2321)..... | 50 |
| High amount lockout (HALO) of entry for media keys (#2322)..... | 50 |
| 8 Programming of function text..... | 51 |
| Programming (#2314)..... | 51 |
| List of function texts..... | 52 |
| 9 Cashier and clerk programming | 53 |
| Cashier code (#1500)..... | 53 |
| Cashier name (#1514)..... | 54 |
| Functional programming for cashiers (#2510)..... | 54 |
| Clerk code (#1400)..... | 55 |
| Clerk name (#1414)..... | 55 |
| 10 Programming various functions | 56 |
| Programming for optional feature selection (#2616) | 56 |
| Programming feed line after printing of a difference subtotal (#2615)..... | 59 |
| Programming alarm length of time with drawer opening (#2617)..... | 59 |
| Programming of logo messages (#2614) | 60 |
| Selection of X1/Z1 and X2/Z2 reports to be printed in the stacked report sequence (#2620)..... | 61 |
| Setting the time range for hourly reports (#2619)..... | 62 |
| RS-232C channel assignment (#2690) | 62 |

| | |
|---|----|
| Secret codes to control access to the PGM1 mode, X1/Z1 mode and X2/Z2 mode (#2630, 2631, 2632) | 63 |
| Currency description text programming (#2334) | 63 |
| Functional programming for the printer (#2990) | 64 |
| Assigning the drawer number to the drawer for foreign currency (#2680) | 64 |
| Setting the AUTO key - Automatic sequencing key - (#2900) | 65 |
| 11 Reading stored programs | 66 |
| Program details and procedures for their reading | 66 |
| Sample printouts | 67 |
| 12 Training mode | 72 |
| READING (X) AND RESETTING (Z) OF SALES TOTALS | 73 |
| 1 Summary of reading (X) and resetting (Z) reports and the key operations to obtain the reports | 73 |
| 2 Automatic modification of register system for introduction of EURO | 75 |
| 3 Daily sales totals | 76 |
| Full reading and resetting of sales totals | 76 |
| Cashier reading and resetting | 79 |
| Clerk reading and resetting | 80 |
| Reading and resetting of hourly sales information | 81 |
| Full department reading | 82 |
| Individual group reading | 83 |
| Full group reading | 83 |
| Reading and resetting of sales information for a range of PLUs/subdepartments | 84 |
| Reading of sales information on PLUs/subdepartments associated with an individual department | 85 |
| Reading of sales information on PLUs/subdepartments whose sales amounts are zeros | 85 |
| Reading of sales information for the price amount range of PLUs/subdepartments | 85 |
| Reading of commission sales information | 85 |
| Transaction reading | 86 |
| Total in drawer reading | 86 |
| Reading and resetting of a stacked report | 86 |
| 4 Periodic consolidation | 87 |
| Generality | 87 |
| Reading and resetting of daily net totals | 88 |
| Reading and resetting of a stacked report | 88 |
| COMPULSORY CASH/CHEQUE DECLARATION | 89 |
| OVERRIDE ENTRIES | 91 |
| CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT) | 92 |

| |
|------------------|
| FOR THE OPERATOR |
|------------------|

| | |
|---|-----|
| PRIOR TO ENTRIES | 93 |
| 1 Preparations for entries | 93 |
| Receipt and journal paper rolls | 93 |
| Receipt ON/OFF function | 93 |
| Cashier and clerk assignment | 93 |
| 2 Error warning | 94 |
| ENTRIES | 95 |
| 1 Item entries | 95 |
| Single item entries | 95 |
| Repeat entries | 96 |
| Multiplication entries | 96 |
| Successive multiplication entries | 97 |
| Split-pricing entries | 98 |
| Single item cash sale (SICS)/single item finalize (SIF) entries | 99 |
| Link PLU entries | 99 |
| 2 Displaying subtotals | 100 |
| Normal subtotal | 100 |

| | |
|---|-----|
| Difference subtotal (Differ ST) | 100 |
| 3 Finalization of transaction | 101 |
| Cash or cheque tendering | 101 |
| Mixed tendering (cheque + cash) | 101 |
| Cash or cheque sale that does not need any tender entry | 101 |
| Credit sale | 102 |
| Mixed-tender sale (cash or cheque tendering + credit tendering) | 102 |
| 4 Computation of VAT (Value Added Tax)/tax | 102 |
| VAT/tax system | 102 |
| VAT shift entries | 104 |
| 5 Auxiliary entries | 104 |
| Percent calculations (premium or discount) | 104 |
| Deduction entries | 105 |
| Refund entries | 106 |
| Printing of non-add code numbers | 106 |
| 6 Payment treatment | 106 |
| Currency exchange | 106 |
| Received on account entries | 107 |
| Paid out entries | 107 |
| No sale (exchange) | 108 |
| Cashing a cheque | 108 |
| 7 Automatic sequencing key (AUTO key) entries | 108 |
| CORRECTION | 109 |
| 1 Correction of the last entry (direct void) | 109 |
| 2 Correction of the next-to-last or earlier entries (indirect void) | 109 |
| 3 Subtotal void | 110 |
| 4 Correction of incorrect entries not handled by the direct or indirect void function | 110 |
| SPECIAL PRINTING FUNCTIONS | 111 |
| 1 Copy receipt printing | 111 |
| 2 Guest check copy | 112 |
| 3 Printing of header and footer graphic logos | 112 |
| OVERLAPPED CASHIER ENTRY | 113 |
| OPERATOR MAINTENANCE | 114 |
| 1 In case of power failure | 114 |
| 2 In case of printer error | 114 |
| 3 Thermal printing | 114 |
| Cautions in handling the printer | 114 |
| Cautions in handling the recording paper (thermal paper) | 115 |
| 4 Paper roll near-end sensing function (only for the journal paper) <option> | 115 |
| 5 Installing and removing the paper roll | 116 |
| Recording paper specifications | 116 |
| Installing the paper roll | 116 |
| Removing the paper roll | 118 |
| Removing a paper jam | 119 |
| 6 Cleaning the print head | 120 |
| 7 Removing the till and the drawer | 121 |
| 8 Opening the drawer by hand | 121 |
| 9 Installing the fixing angle bracket | 122 |
| 10 Before calling for service | 123 |
| Error code table | 123 |
| LIST OF OPTIONS | 124 |
| SPECIFICATIONS | 125 |

[Click here to download the full manual at THE-CHECKOUT-TECH.COM](http://THE-CHECKOUT-TECH.COM)