

Sharp ER-A450S instruction Manual

# SHARP®

## ELECTRONIC CASH REGISTER

MODEL  
**ER-A450S**

### INSTRUCTION MANUAL



**CAUTION:**

The cash register and the remote drawer should be securely fitted to the supporting platforms to avoid instability when the drawers are open.

**CAUTION:**

The socket-outlet shall be installed near the equipment and shall be easily accessible.

**VORSICHT:**

Die Netzsteckdose muß nahe dem Gerät angebracht und leicht zugänglich sein.

**ATTENTION:**

La prise de courant murale devra être installée à proximité de l'équipement et devra être facilement accessible.

**AVISO:**

El tomacorriente debe estar instalado cerca del equipo y debe quedar bien accesible.

**VARNING:**

Det matande vägguttaget skall placeras nära apparaten och vara lätt åtkomligt.

**CAUTION:**

For a complete electrical disconnection pull out the mains plug.

**VORSICHT:**

Zur vollständigen elektrischen Trennung vom Netz den Netzstecker ziehen.

**ATTENTION:**

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

**AVISO:**

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

**VARNING:**

För att helt koppla från strömmen, dra ut stickproppen.

This equipment complies with the requirements of Directives 89/336/EEC and 73/23/EEC as amended by 93/68/EEC.

Dieses Gerät entspricht den Anforderungen der EG-Richtlinien 89/336/EWG und 73/23/EWG mit Änderung 93/68/EWG.

Ce matériel répond aux exigences contenues dans les directives 89/336/CEE et 73/23/CEE modifiées par la directive 93/68/CEE.

Dit apparaat voldoet aan de eisen van de richtlijnen 89/336/EEG en 73/23/EEG, gewijzigd door 93/68/EEG.

Dette udstyr overholder kravene i direktiv nr. 89/336/EEC og 73/23/EEC med tillæg nr. 93/68/EEC.

Quest' apparecchio è conforme ai requisiti delle direttive 89/336/EEC e 73/23/EEC, come emendata dalla direttiva 93/68/EEC.

**Η εγκατάσταση αυτή ανταποκρίνεται στις απαιτήσεις των οδηγιών της Ευρωπαϊκής Ένωσης 89/336/ΕΟΚ και 73/23/ΕΟΚ, όπως οι κανονισμοί αυτοί συμπληρώθηκαν από την οδηγία 93/68/ΕΟΚ.**

Este equipamento obedece às exigências das directivas 89/336/CEE e 73/23/CEE, na sua versão corrigida pela directiva 93/68/CEE.

Este aparato satisface las exigencias de las Directivas 89/336/CEE y 73/23/CEE, modificadas por medio de la 93/68/CEE.

Denna utrustning uppfyller kraven enligt riktlinjerna 89/336/EEC och 73/23/EEC så som kompletterade av 93/68/EEC.

Dette produktet oppfyller betingelsene i direktivene 89/336/EEC og 73/23/EEC i endringen 93/68/EEC.

Tämä laite täyttää direktiivien 89/336/EEC ja 73/23/EEC vaatimukset, joita on muutettu direktiivillä 93/68/EEC.

---

# INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-A450S. Please read this manual carefully before operating your machine in order to gain full understanding of functions and features.

Please keep this manual for future reference. It will help you, if you encounter any operational problems.

---

# IMPORTANT

- **Install your register in a location that is not subject to direct sunlight, unusual temperature changes, high humidity or exposure to water sources and keep away from heat and magnetic sources.**  
Installation in such locations could cause damage to the cabinet and the electronic components.
- **The register should not be operated by an individual with wet hands.**  
The water could seep into the interior of the register and cause component failure.
- **When cleaning your register, use a dry, soft cloth. Never use solvents, such as benzine and/or thinner.**  
The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- **The register plugs into any standard wall outlet (Official (nominal) voltage).**  
Other electrical devices on the same electrical circuit could cause the register to malfunction.
- **If the register malfunctions, call your local dealer for service - do not try to repair the register yourself.**
- **For a complete electrical disconnection, pull out the mains plug.**

---

# PRECAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used. Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer. In order to charge the batteries, the machine must be plugged in. This recharging precaution can prevent unnecessary initial service calls.

---

# CONTENTS

INTRODUCTION.....	1
IMPORTANT.....	1
PRECAUTION.....	1
CONTENTS.....	2
EXTERNAL VIEW.....	7
Front view.....	7
Rear view.....	7
PRINTER.....	8
KEYBOARD.....	9
1 Standard keyboard layout.....	9
2 Standard key number layout.....	10
KEYS AND SWITCHES.....	11
1 Mode switch and mode keys.....	11
2 Drawer lock key.....	11
DISPLAYS.....	12
Machine state symbols.....	12

FOR THE MANAGER
-----------------

PRIOR TO PROGRAMMING.....	13
1 General instructions.....	13
2 How to program alphanumeric characters.....	13
Using character keys on the keyboard.....	13
Entering character codes.....	14
PROGRAMMING.....	16
Preparations for Programming.....	16
Direct Programming.....	16
1 Setting the date and time.....	16
Date.....	16
Time.....	17
2 Programming for departments.....	17
Unit price.....	17
Functional selection.....	18
3 Price lookup (PLU) programming.....	20
Unit price.....	20
Functional selection.....	20
PLU assignment to departments.....	22
4 European Article Number(EAN)/Universal Product Code(UPC) programming.....	23
Unit price.....	23
Functional selection.....	24
EAN assignment to departments.....	26
5 Programming for discount keys.....	27
Deduction amount (⊖).....	27
High amount lockout (HALO) and +/- sign (⊖).....	28
6 Programming for percent keys.....	29
Percent rate (%).....	29
Sign (+/-) (%).....	29
7 Programming for exchange keys.....	30
Currency exchange rate (EX).....	30
8 Programming for the CA2, RA, PO, CH and CR keys.....	30
High amount lockout (HALO) (CA2, RA, PO, CH, and CR).....	30

9	Programming the tax rate .....	31
	Tax rate .....	31
	<b>Job-Code-Based Programming</b> .....	<b>32</b>
1	Setting the date and time .....	32
	Setting the date (#2610) .....	32
	Setting the time (#2611) .....	32
2	Setting the register and consecutive numbers .....	33
	Setting the register number (#2612) .....	33
	Setting the consecutive number (#2613) .....	33
3	Programming the tax rate .....	34
	Tax rate (#2711) .....	34
4	Programming for departments .....	35
	Functional programming (#2110) .....	35
	Tax status (#2111) .....	36
	A limit amount (HALO) of entry (#2112) .....	37
	Alphanumeric characters (#2114) .....	38
	Unit price (#1110) .....	38
	Commission group assignment (#2115) .....	39
	Group number (#2116) .....	40
	Department key positioning (#2119) .....	41
5	Price lookup (PLU) programming .....	42
	Department assignment (#1200, 2230) .....	43
	Unit prices (#1210) .....	44
	Base quantity (#1211) .....	44
	PLU/subdepartment mode (#2210, 2231) .....	45
	Sign (+/-) and tax status (#2211, 2232) .....	46
	Alphanumeric characters (#2214) .....	47
	Assigning of PLUs to commission groups (#2215, 2235) .....	48
	Link PLU (#2220) .....	49
	Direct PLU key positioning (#2219) .....	49
6	European Article Number (EAN) or Universal Product Code (UPC) programming .....	50
	EAN or UPC code .....	50
	Add-on code .....	52
	EAN/UPC programming .....	52
	Department assignment (#1000) .....	53
	Unit prices (#1010) .....	54
	Base quantity (#1011) .....	54
	Delete method (#2010) .....	55
	Sign (+/-) and tax status (#2011) .....	56
	Alphanumeric characters (#2014) .....	57
	Assigning of EANs to commission group (#2015) .....	57
	EAN link (#2030) .....	58
	Delete period for non-accessed EAN codes (#2029) .....	58
	Programming Non-PLU code format (#2025) .....	59
	Press code functional programming (#2035) .....	60
7	Programming for miscellaneous keys .....	61
	Programming the rate (%, EX, commission) and the deduction (⊖) (#1310) .....	61
	Programming the number of digits after decimal point for exchange keys (#2330) .....	62
	Currency description text programming (#2334) .....	62
	Assigning the drawer number to the drawer for foreign currency (#2680) .....	63
	A limit amount (HALO) of entry (⊖, RA, PO) (#2312) .....	63
	+/- sign (%, ⊖) (#2311) .....	64
	Item % or subtotal % selection (⊖) (#2315) .....	65
	Percent rate limitation (⊖) (#2313) .....	65
	Item ⊖ or subtotal ⊖ selection (⊖) (#2316) .....	66

8	Programming for the <b>TL</b> , <b>CA2</b> , <b>CH1</b> through <b>CH4</b> , and <b>CR1</b> through <b>CR4</b> keys.....	67
	Functional programming (#2320) .....	67
	High amount lockout (HALO) for cheque change, cheque cashing, and cash in drawer (#2321).....	68
	High amount lockout (HALO) of entry for media keys (#2322).....	69
9	Programming of function text.....	69
	Programming (#2314).....	69
	List of function texts.....	70
10	Cashier and clerk programming .....	71
	Cashier code (#1500).....	71
	Cashier name (#1514).....	72
	Functional programming for cashiers (#2510).....	72
	Clerk code (#1400).....	73
	Clerk name (#1414).....	73
11	Programming various functions .....	74
	Programming for optional feature selection (#2616) .....	74
	Programming feed line after printing of a difference subtotal (#2615).....	78
	Programming alarm length of time with drawer opening (#2617).....	79
	Programming of logo messages (#2614) .....	80
	Selection of X1/Z1 and X2/Z2 reports to be printed in the stacked report sequence (#2620).....	81
	Setting the time range for hourly reports (#2619).....	82
	RS-232C channel assignment (#2690) .....	82
	Barcode reader programming (#2691) .....	83
	Secret codes to control access to the PGM1 mode, X1/Z1 mode and X2/Z2 mode (#2630, 2631, 2632) .....	84
	Functional programming for the printer (#2990) .....	85
	Setting the AUTO key - Automatic sequencing key - (#2900).....	86
12	Reading stored programs .....	87
	Program details and procedures for their reading .....	87
	Sample printouts.....	88
13	Training mode.....	94
	<b>READING (X) AND RESETTING (Z) OF SALES TOTALS</b> .....	95
1	Summary of reading (X) and resetting (Z) reports and the key operations to obtain the reports .....	95
2	Daily sales totals.....	98
	Full reading and resetting of sales totals .....	98
	Cashier reading and resetting .....	102
	Clerk reading and resetting .....	104
	Reading and resetting of hourly sales information .....	105
	Full department reading .....	106
	Individual group reading .....	107
	Full group reading.....	107
	Reading and resetting of sales information for a range of PLUs/subdepartments .....	108
	Reading of sales information on PLUs/subdepartments associated with an individual department.....	109
	Reading of PLUs/subdepartments whose sales amounts are zeros .....	109
	Reading of PLUs/subdepartments whose sales amounts are zeros (by associated department) .....	109
	Reading of sales information for the price amount range of PLUs/subdepartments .....	109
	Reading and resetting of sales information for EANs.....	110
	Reading and resetting of sales information for EANs associated with an individual department .....	111
	Reading of EANs whose sales amounts are zero .....	111
	Reading of EANs whose sales amounts are zeros (by associated department).....	111
	Reading of commission sales information .....	112
	Transaction reading.....	112
	Total in drawer reading.....	112
	Reading and resetting of a stacked report.....	113
	Deleting of non-accessed EANs.....	113

3	Periodic consolidation	114
	Generality	114
	Reading and resetting of daily net totals	115
	Reading and resetting of a stacked report	115
	<b>COMPULSORY CASH/CHEQUE DECLARATION</b>	116
	<b>PROGRAMMING FOR EURO</b>	118
	Automatic modification of register system for introduction of EURO	119
	Optional programming for the introduction of EURO	120
	<b>OVERRIDE ENTRIES</b>	121
	<b>CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT)</b>	122

FOR THE OPERATOR
------------------

<b>PRIOR TO ENTRIES</b>	123
1 Preparations for entries	123
Receipt and journal paper rolls	123
Receipt ON/OFF function	123
Cashier and clerk assignment	123
2 Error warning	124
<b>ENTRIES</b>	125
1 Item entries	125
Single item entries	125
Repeat entries	126
Multiplication entries	127
Successive multiplication entries	128
Split-pricing entries	129
Single item cash sale (SICS)/single item finalize (SIF) entries	130
Link PLU/EAN link entries	130
EAN learning function	131
Price inquiry (view) function (for EANs)	132
Price change function (for EANs)	133
2 Displaying subtotals	135
Normal subtotal	135
Difference subtotal (Differ ST)	135
3 Finalization of transaction	136
Cash or cheque tendering	136
Mixed tendering (cheque + cash)	136
Cash or cheque sale that does not need any tender entry	136
Credit sale	137
Mixed-tender sale (cash or cheque tendering + credit tendering)	137
4 Computation of VAT (Value Add Tax)/tax	137
VAT/tax system	137
VAT shift entries	139
5 Auxiliary entries	139
Percent calculations (premium or discount)	139
Deduction entries	140
Refund entries	140
Printing of non-add code numbers	141
6 Payment treatment	141
Currency exchange	141
Received on account entries	142
Paid out entries	142
No sale (exchange)	143
Cashing a cheque	143
7 Automatic sequencing key (AUTO key) entries	143

<b>CORRECTION</b> .....	144
1 Correction of the last entry (direct void).....	144
2 Correction of the next-to-last or earlier entries (indirect void).....	144
3 Subtotal void.....	145
4 Correction of incorrect entries not handled by the direct or indirect void function .....	145
<b>SPECIAL PRINTING FUNCTIONS</b> .....	146
1 Copy receipt printing.....	146
2 Guest check copy .....	147
3 Printing of header and footer graphic logos.....	147
<b>OVERLAPPED CASHIER ENTRY</b> .....	148
<b>OPERATOR MAINTENANCE</b> .....	149
1 In case of power failure .....	149
2 In case of printer error .....	149
3 Thermal printing.....	149
Cautions in handling the printer.....	149
Cautions in handling the recording paper (thermal paper) .....	150
4 Paper roll near-end sensing function (only for the journal paper) <option>.....	150
5 Installing and removing the paper roll.....	151
Recording paper specifications .....	151
Installing the paper roll .....	151
Removing the paper roll .....	153
Removing a paper jam .....	154
6 Cleaning the print head .....	155
7 Removing the till and the drawer .....	156
8 Opening the drawer by hand .....	156
9 Installing the fixing angle bracket .....	157
10 Before calling for service .....	158
Error code table .....	158
<b>LIST OF OPTIONS</b> .....	159
<b>SPECIFICATIONS</b> .....	160



[Click here to download the full manual at THE-CHECKOUT-TECH.COM](http://THE-CHECKOUT-TECH.COM)