
Sharp ER-A550 instruction Manual



ELECTRONIC CASH REGISTER



INSTRUCTION MANUAL



If undue force is applied to the drawer, the cash register will become unstable.

This apparatus complies with the requirements of EN 55014, 02. 1987 and BS 800: 1988.

Dieses Gerät stimmt mit den Bedingungen der EN 55014, 02. 1987 überein.

Cet appareil répond aux spécifications de la EN 55014, 02. 1987.

Dit apparaat voldoet aan de vereiste EN 55014, 02. 1987.

Apparatet opfylder kravene i EN 55014, 02. 1987.

Questo apparecchio è stato prodotto in conformità alle EN 55014, 02. 1987.

Αύτή ἡ συσκευή τηρεῖ τίς προδιαγραφές τῆς ΕΝ 55014, 02. 1987.

Este aparelho responde às especificações da EN 55014, 02. 1987.

Este aparato cumple las especificaciones de la EN 55014, 02. 1987.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT:

Zur vollständigen elektrischen Trennung vom Netz, den Netzstecker ziehen.

ATTENTION:

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

INTRODUCTION

Thank you very much for your purchase of the SHARP Electronic Cash Register, Model ER-A550. Please read this Manual carefully before operating your machine in order to gain a full understanding of its functions and performance.

Please keep this Manual for future reference. It will help you, if you encounter any operational problems.

IMPORTANT

Install your ER-A550 in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposed to water sources.

Installation in such locations could cause damage to the cabinet and the electrical components.

- The register should not be operated by an individual with wet hands. The water could seep into the interior of the ER-A550 and cause component failure.
- When cleaning your register, use a dry, soft cloth. Never use volatile liquid, such as benzine and thinner.

The use of such chemicals will lead to discoloration or deterioration of the cabinet.

- The ER-A550 register plugs into any standard wall outlet (Official (nominal) voltage). Other electrical devices on the same electrical circuit could cause the ER-A550 to malfunction.
- If the register malfunctions, call your local dealer for service Do not try to repair the register yourself.

PREGAUTION

This Electronic Cash Register has a built-in memory protection circuit which is operated by rechargeable batteries.

As you know, all batteries will, in time, dissipate their charge even if not used.

Therefore to insure an adequate initial charge in the protection circuit, and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to recharge for a period of 24 to 48 hours prior to use by the customer.

In order to charge the batteries, the machine must be plugged in and its power switch must be set to the "ON" position. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

	PHYSICAL CHARACTERISTICS OF THE ER-A550 REGISTER	Pa	ige
-			
•	KEYBOARD LAYOUT AND SWITCH AND KEY DESCRIPTIONS		
	1. Keyboard		
	2. Mode switch and mode keys		
	4. Receipt ON-OFF switch		
٠	DISPLAYS		
	1. Operator display		
	2. Customer display	••	15
•	GENERAL INSTRUCTIONS		16
0	HOW TO PROGRAM ALPHANUMERIC CHARACTERS		17
0	PROGRAMMING		18
	1. Setting the date and time		
	(1) Setting the date (#2610)		
	(2) Setting the time (#2611)		
	2. Setting the register number (#2612)		19
	3. Setting the consecutive number (#2613)		20
	4. Programming for departments		
	(1) Programming of unit prices (#1110)		
	(2) Functional programming (#2110)		
	(3) Programming of tax status (#2111)		
	(4) Setting a limit amount (HALO) of entry (#2112)		
	(5) Programming of department text (#2114)	• •	24
	(6) Assigning departments to groups (#2116)		
	(7) Assigning print stations to departments (#2118)		
	(8) Positioning of department keys (#2119)		
	5. Programming for PLUs		
	(1) Definition of PLU codes and department assignment (#1200 and #2230)		
	(2) Programming of unit prices (#1210)		
	(3) Programming of base quantity (#1211)		
	(4) Programming of sign and tax status (#2211 and #2232)		
	(5) Programming of PLU text (#2214)	:	33
	(6) Programming of set PLUs (#2221)	:	33
	(7) Programming of link PLUs (#2220)	. :	34
	(8) Programming of PLU level shift codes (#2217)		
	(9) Assigning print stations to PLUs (#2218 and #2233)		
	(10) Positioning of direct PLU keys (#2219)	•	36
	(11) Programming of stock quantity (#1222, #1220 and #1221)		
	6. Function parameter programming		39
	(1) Programming of deduction amount, premium and discount rate, and currency exchange		
	rate (#1310)		
	(2) Programming of tax rate (#2711)		
		• •	41

Page

		(4) Programming of sign (for %, ⊖) (#2311)	
		(5) Item % or subtotal % selection (#2315)	
		(6) Item \ominus or subtotal \ominus selection (#2316)	
		(7) Programming of HALO for percent calculation (#2313)	
		(8) Programming of HALO for deduction, received on account, and paid out (#2312)	
		(9) Programming of HALO for the finalization keys (#2322)	
		(10) Programming of HALO for cash in drawer, cheque change, and cheque cashing (#2321) $$.	
		(11) Programming of function text (#2314)	
		LIST OF FUNCTION TEXTS	
	7.	Cashier programming	
		(1) Cashier code definition (#1500)	
		(2) Programming of the cashier name (#1514)	
		(3) Functional programming to cashiers (#2510)	
		Programming alarm length of time with drawer opening (#2617)	
		Programming for optional feature selection (#2616)	
		Programming of validation printing and slip printing (#2615)	
		Logo text programming (#2614)	
		Programming of hourly report (#2619)	
		Selection of X1/Z1 and X2/Z2 reports to be printed in the stacked report sequence (#2620) \ldots	61
	14.	Secret codes to control access to PGM1 mode, and Z1 and Z2 reports	
		(#2630, #2631 and #2632)	
	15.	Reading stored programs	
		(1) Program details and procedures for their reading	
		(2) Sample printouts	65
•	RE	GISTRATIONS	75
	*		
		Preparations for entries	75
	*	Preparations for entries	
		•	75
	1.	Error warning	75 75
	1.	Error warning	75 75 76
	1.	Error warning	75 75 76 76
	1.	Error warning	75 75 76 76 78
	1.	Error warning	75 75 76 76 78 79
	1.	Error warning	75 75 76 78 79 80 81
	1. 2.	Error warning	75 76 76 78 79 80 81 82
	1. 2.	Error warning	75 76 76 78 79 80 81 82
	1. 2.	Error warning	75 75 76 78 79 80 81 82 83 83
	1. 2.	Error warning	75 75 76 78 79 80 81 82 83 83 83
	1. 2.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83
	1. 2. 3.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83
	1. 2. 3. 4.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83 83 83 83 83 84 85 86
	1. 2. 3. 4.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83 83 84 85 86 86
	1. 2. 3. 4.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83 83 83 84 85 86 86 86
	1. 2. 3. 4.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83 83 83 84 85 86 86 86 86
	1. 2. 3. 4.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83 83 84 85 86 86 86 86 87 87
	1. 2. 3. 4. 5.	Error warning	75 76 76 78 80 81 82 83 83 83 83 83 84 85 86 86 86 87 87 88
	1. 2. 3. 4. 5.	Error warning	75 76 76 78 79 80 81 82 83 83 83 83 83 83 84 85 86 86 86 86 87 88 88

Page

	(1) Percent calculations (premium or discount)
	(2) Deduction
	(3) Refund entries
	(4) Printing of non-add code numbers
	8. Manual PB+/PB-entries
	(1) New guest
	(2) Additional ordering
	(3) Settlement
	9. Payment treatment
	(1) Currency exchange
	(2) Received-on account entries
	(3) Paid out entries
	(4) No sale (exchange)
	(5) Cashing a cheque
6	CORRECTION
-	1. Correction of the last entry (direct void) 98
	2. Correction of the next-to-last or earlier entries (indirect void)
	3. Correction of the subtotal (subtotal void)
	4. Handling of errors found after receipt issuance
•	VARIOUS PRINTING
	1. Copy receipt printing
	2. Guest check copy
	3. Validation printing function
	3-1. Validation slip setting and printing
	3-2. The validation printing can occur just after the following registrations
	(1) Validation printing of item entries
	(2) Validation printing after the finalization of a transaction
	3-3. Validation slip specification
٠	OVERLAPPED CASHIER ENTRY
٩	PRINTING OF THE EMPLOYEE ARRIVAL AND DEPARTURE TIMES
۲	MANAGER MODE
	CORRECTION AFTER FINALIZING A TRANSACTION (AFTER GENERATING A RECEIPT) 108
¢	TIME DISPLAY AND AUTOMATIC UPDATING OF THE DATE
6	AUTOMATIC KEY FUNCTION
•	READING (X) AND RESETTING (Z) OF SALES TOTALS
	SAMPLE REPORTS —
۲	COMPULSORY CASH/CHEQUE DECLARATION
•	OPERATOR MAINTENANCE
	1. In case of power failure
	2. In case of printer's motor locking
	 Paper roll near-end sensing function (only for journal paper) < option >
	4. Installing and removing the paper roll
	5. Installing the ink ribbon cassette
	· · · · · · · · · · · · · · · · · · ·

		Page
	6. Ink refill	.134
	7. Removing the till and the drawer	.135
	8. Opening the drawer by hand	.135
	9. Before calling for service	.136
	- Program resetting	.136
•	LIST OF OPTIONS	.137
•	SPECIFICATIONS	.138
•	SLIP PRINTER (OPTION) MODEL ER-31SP	.140
•	KITCHEN PRINTER (OPTION) MODEL ER-02RP	.150

This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store: https://the-checkout-tech.com/manuals/sharp/ER-A550 instruction manual.html

And our free Online Keysheet maker: https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM