


POS TERMINAL

UP-3300

INSTRUCTION MANUAL



CAUTION:

The drawer unit should be securely fitted to the supporting platform to avoid instability when the drawers are open.

CAUTION:

The socket-outlet shall be installed near the equipment and shall be easily accessible.

VORSICHT:

Die Netzsteckdose muß nahe dem Gerät angebracht und leicht zugänglich sein.

ATTENTION

La prise de courant murale devra être installée à proximité de l'équipement et devra être facilement accessible.

AVISO:

El tomacorriente debe estar instalado cerca del equipo y debe quedar bien accesible.

VARNING:

Det matande vägguttaget skall placeras nära apparaten och vara lätt åtkomligt.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT

Zur vollständigen elektrischen Trennung vom Netz den Netzstecker ziehen.

ATTENTION:

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

This equipment complies with the requirements of Directives 89/336/EEC and 73/23/EEC as amended by 93/68/EEC.

Dieses Gerät entspricht den Anforderungen der EG-Richtlinien 89/336/EWG und 73/23/EWG mit Änderung 93/68/EWG.

Ce matériel répond aux exigences contenues dans les directives 89/336/CEE et 73/23/CEE modifiées par la directive 93/68/CEE.

Dit apparaat voldoet aan de eisen van de richtlijnen 89/336/EEG en 73/23/EEG, gewijzigd door 93/68/EEG.

Dette udstyr overholder kravene i direktiv nr. 89/336/EEC og 73/23/EEC med tillæg nr. 93/68/EEC.

Quest' apparecchio è conforme ai requisiti delle direttive 89/336/EEC e 73/23/EEC, come emendata dalla direttiva 93/68/EEC.

Η εγκατάσταση αυτή ανταποκρίνεται στις απαιτήσεις των οδηγιών της Ευρωπαϊκής Ενωσης 89/336/ΕΟΚ και 73/23/ΕΟΚ, όπως οι κανονισμοί αυτοί συμπληρώθηκαν από την οδηγία 93/68/ΕΟΚ. Este equipamento obedece às exigências das directivas 89/336/CEE e 73/23/CEE, na sua versão

corrigida pela directiva 93/68/CEE. Este aparato satisface las exigencias de las Directivas 89/336/CEE y 73/23/CEE, modificadas por

medio de la 93/68/CEE.

Denna utrustning uppfyller kraven enligt riktlinjerna 89/336/EEC och 73/23/EEC så som komplette

ras av 93/68/EEC.

Dette produktet oppfyller betingelsene i direktivene 89/336/EEC og 73/23/EEC i endringen 93/68/EEC.

Tämä laite täyttää direktiivien 89/336/EEC ja 73/23/EEC vaatimukset, joita on muutettu direktiivillä 93/68/EEC.

Warning

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

Warnung

Dies ist eine Einrichtung der Klasse A. Diese Einrichtung kann im Wohnbereich Funkstörungen verursachen; in diesem Fall kann vom Betreiber verlangt werden, angemessene Maßnahmen durchzuführen und dafür aufzukommen.

Avertissement

Ceci est un produit de Classe A. Dans un environnement domestique ce produit risque de provoquer une interférence radio, auquel cas l'utilisateur sera obligé d'observer les mesures adéquates.

Advertencia

Este es un producto de la clase A. En un ambiente doméstico es posible que este producto cause radiointerferencia. En este caso se solicita al usuario que tome medidas adecuadas.

FOR CUSTOMERS IN U.K. -

IMPORTANT

The wires in this mains lead are coloured in accordance with the following code:

GREEN-AND-YELLOW: Earth
BLUE: Neutral
BROWN: Live

As the colours of the wires in the mains lead of this apparatus may not correspond with the coloured markings identifying the terminals in your plug proceed as follows.

The wire which is coloured **GREEN-AND-YELLOW** must be connected to the terminal in the plug which is marked by the letter **E** or by the safety earth symbol $\frac{1}{2}$ or coloured green or green-and-yellow.

The wire which is coloured **BLUE** must be connected to the terminal which is marked with the letter **N** or coloured black.

The wire which is coloured **BROWN** must be connected to the terminal which is marked with the letter **L** or coloured red.

Ensure that your equipment is connected correctly – if you are in any doubt, consult a qualified electrician.

"WARNING: THIS APPARATUS MUST BE EARTHED."

Environment Protection

The device is supported by a battery. To dispose the battery safely to protect the environment, please note the following points:

- Take the used battery to your local waste depot, dealer or customer service centre for recycling.
- Do not throw the used battery into fire, into water or into the household waste!

Umweltschutz

Das Gerät wird durch eine Batterie gestützt. Um die Batterie sicher und umweltschonend zu entsorgen, beachten Sie bitte folgende Punkte:

- Bringen Sie die leere Batterie zu Ihrer örtlichen Mülldeponie, zum Händler oder zum Kundenservice-Zentrum zur Entsorgung.
- Werfen Sie die leere Batterie niemals ins Feuer, ins Wasser oder in den Hausmüll.

Protection de l'environnement

L'appareil est supporté sur pile. Afin de protéger l'environnement, nous vous recommendons de traiter la pile usagée la façon suivante:

- Apporter la pile usagée à votre centre de traitement des ordures ménagères le plus proche ou, à votre revendeur ou, au service après-vente, pour recyclement.
- Ne jamais jeter la pile usagée dans une source de chaleur, dans l'eau ou dans les vide-ordures.

Miijöskydd

Denna produkt nöddrivs av batteri.

Vid batteribyte skall följande iakttagas:

- Det förbrukade batteriet skall inlämnas till er lokala handlare eller till kommunal miljöstation för återinssamling.
- Kasta ej batteriet i vattnet eller i hushållssoporna. Batteriet får ej heller utsätttas för öppen eld.

INTRODUCTION

Thank you very much for your purchase of the SHARP POS Terminal Model UP-3300. Please read this Manual carefully before operating your machine in order to gain full understanding of functions and features. Please keep this manual for future reference. It will help you if you encounter any operational problems.

IMPORTANT

- Install your POS terminal in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposure to water sources.
 - Installation in such locations could cause damage to the cabinet and the electrical components.
- The POS terminal should not be operated by an individual with wet hands.
 - The water could seep into the interior of the POS terminal and cause component failure.
- Do not apply excessive pressure to the display.
 - Do not use a sharp-pointed object on the display.
 - The LCD display will be damaged easily.
- When cleaning your POS terminal, use a dry, soft cloth. Never use solvents, such as benzine and/or thinner.
 - The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- The POS terminal plugs into any standard wall outlet (official (nominal) voltage).
 Other electrical devices on the same electrical circuit could cause the POS terminal to malfunction.
- If the POS terminal malfunctions, call your authorized SHARP dealer for service do not try to repair the POS terminal yourself.

PRECAUTION

This POS terminal has a built-in memory protection circuit which is operated by a rechargeable battery pack. It should be known that all batteries will, in time, dissipate their charge even if not used. Therefore to insure an adequate initial charge in the protection circuit and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to be recharged for a period of 24 to 48 hours prior to use by the customer.

In order to charge the battery pack, the machine must be plugged in and its power switch must be set to the "ON" position. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

	RODUCTION	
	PORTANT	
PR	ECAUTION	1
1.	Part Names and Functions	7
	External View	7
	Front view ·····	7
	Rear view	7
	Display	8
	Operator display (touch panel)	٠ و
	Screen save mode	ç
	Clerk keys	. 10
	·	
2.	Before Operating the POS Terminal	. 11
	Display Adjustment	. 11
	Connecting the Printer and Installing the Paper Rolls	
	combaning and i make and meaning and i application	•
3.	Selecting an Operating Mode	. 12
	Operating Modes	. 12
	Mode Selection	. 13
	Selecting a mode	
	Returning to the mode selection window	. 13
	Total milig to the mode selection window	10
4	Receipts	. 12
٠.	Type of Receipts ·····	. 1/
	Addition receipt type	. 1/
	Addition without payment receipt type	
	Single/double receipt type ······	
	Single/double + addition receipt type	1 i
	Addition + single receipt type	10
	Double addition receipt type	10
	Double addition receipt type	- 16
	Double (addition + single) receipt type	16
	Sorted Receipt Function	. 17
_	Prior to Entries	20
Э.	Prior to Entries Preparations for Entries	. کار
	Preparations for Entries	- 20
	Error Warning	- 20
	Sample Receipt	- 20
_	Entries	_
6.		
	Function Key Description	21
	Touch-panel keyboard ·····	21
	Function keys list	- 29
	How to Use the Touch Panel	· 32
	Cursor control by touching option(s) or item(s) in the window	32
	Clerk Assignment ·····	. 34
	Item Selection from the Menu Window	. 34
	Starting Cash Memory Entry	
	Item Entries	
	Single item entries	
	Repeat entries	
	Multiplication entries	. 38
	Split-pricing entries	. 39
	Single item cash sale (SICS)/single item finalize (SIF) entries	40
	Scale entries ·····	. 41
	Non-turnover sales ·····	
	Special Entries for PLUs	
	Promotion (normal selling) function	. 42
	Promotion (set selling) function	. 45

Link PLU entries ·····	
Combo meal entries ·····	46
With/without entries ·····	
PLU level shift (for direct PLUs)	
PLU price level shift ······	
Condiment entries	51
Happy hour ·····	53
Department shift	53
Pint entries	54
Display of Subtotals	55
Subtotal	55
Difference subtotal (Differ ST)	
Finalization of Transaction	
Cash or check tendering	56
Mixed tendering (check + cash)	
Cash or check sale that does not need any tender entry	57
Credit sale	58
Mixed-tender sale (cash or check tendering + credit tendering)	
Computation of VAT (Value Added Tax)/Tax	59
VAT/tax system ······	50
Vat shift entries	60
Guest Check (GLU/PBLU) ·····	
GLU/PBLU system ·····	61
Drive-through function ·····	
Deposit entries	0 4
Transferring guest checks out or in (Transfer-in/out)	00
Bill printing	70
Intermediate GLU reading (only for GLU system)	
Intermediate GLU reading (only for GLU system)	/1
Bill totalizing/bill transfer	
Bill separating	
Transaction migration	
Auxiliary Entries	
Percent calculations (premium or discount)	
Discount entries	
Refund entries	78
Return entries	
Printing of non-add code numbers	79
Printing of free text ·····	79
Entertainment bill	80
Payment Treatment	81
Tip-in entries	81
Currency exchange	82
Received-on-account entries	83
Paid-out entries	84
No-sale (exchange) ·····	85
Transferring cash	85
Cashing a check ······	
Service charge ·····	
VIP sales	
WASTE mode	
Employee Function	89
Clerk/manager sign-on	89
Employee's working time recording	
TRAINING Mode	
Supervisor Clerk	92
Overlapped Clerk Entry	93
"	30
7. Correction ·····	94
Correction of the Last Entry (Direct Void)	94
Correction of the Next-to-Last or Earlier Entries (Indirect Void)	95
Subtotal Void	
Correction of Incorrect Entries Not Handled by the Direct, Indirect or Subtotal Void Funct	

8. Special Printing Function ······	
Copy Receipt Printing	97
Guest Check Copy	98
Validation Printing Function	98
9. Manager Mode	99
Entering the Manager Mode	99
Override Entries	
Tip Paid Entries	100
Bill recording/Bill void ·····	. 100
10. Correction after Finalizing a Transaction	101
11. Reading (X) and Resetting (Z) of Sales Totals	102
How to take a X1/Z1 or X2/Z2 report ······	·· 102
Daily Sales Totals	. 105
General report	
Department report	. 108
Individual group total report on departments	. 108
Full group total report on departments	. 108
PLU report by designated range	
Combo sales report ······	
PLU report by associated department	. 111
Individual group report on PLUs	. 112
Full group total report on PLUs	
PLU stock report	
PLU cost report ······	
PLU top 20 report ·····	
PLU zero sales report (full)	. 115
PLU zero sales report (by dept.)	
PLU minimum stock report ······	. 115
PLU group total report by hour ·····	
Total in drawer report ······	
Transaction report ······	
Commission sales report ······	
Tax report	
Chief report ·····	
Full clerk report ······	
Individual clerk report ······	
Clerk report (Drink dispenser misoperation)	
Drink dispenser error reading report	. 121
Drink dispenser resetting report	121
Employee active status report	. 122
Hourly report ······	. 122
Drive-through service time report	
Labor cost % report ·······	
Ingredient stock report ······	
GLU/PBLU report ·····	
GLU/PBLU report by clerk ······	
Drive-through report	124
Drive-through report by clerk ······	125
Balance report ······	125
Bill report ·····	125
X1/Z1 stacked reports ······	
Periodic Consolidation	
General information	
Employee report ······	
Over time report	
Employee time adjustment report	127 129
Daily net report ······	120 129
X2/Z2 stacked report ······	120
Compulsory Cash/Check Declaration	120
Compared to Carlot Colon	120

12. How to Use the Programming Keyboard	······································
Programming Keyboard Layout	······································
How to Program Alphanumeric Characters	······································
Using character keys on the keyboard	······································
Entering character codes	
3. Programming	
Basic Instructions	<i>'</i>
Programming example ·····	
Article Programming	
Department	
PLÜ	
PLU range ·····	
PLU stock	
Ingredient ·····	·
Ingredient stock ·····	
PĽU menu key ·····	······································
Combo meal	
Link PLU table	
Condiment table	
Promotion table (normal selling)	
Promotion table (set selling)	
Recipe table	
Scale table ·····	
Department shift ·····	
Happy hour	
Direct Key Programming	
Direct PLU/dept. key ·····	
Functional Programming	
Discount key ((-)1) thru (-)9)	
Percent key (1/81 thru 1/89)	
Commission	
Service charge ·····	
Tip	
DepositRA	
PO	
Media Key Programming	
Cash key	
Check key (CHK through CHK4)	
Credit key (CR1 through CR8)	
Hotel transfer key	
Cash in drawer ······	
Check change ·····	
Check cashing	
Currency Programming	
Currency exchange key (EXCHANGE) through (EXCHANGE))	
Foreign drawer ·······	
Text Programming	
Function text ······	
Department group text ······	
PLU group text ······	
PLU hourly group text	
Personnel Programming	
Clerk	
Manager ·····	
Employee ·····	
Job location table ·····	
Terminal Programming	
Date/Time Setting	
Date/time	<i>'</i>
Optional Feature Selection	
Function prohibition ······	

	Function selection ·····	
	Printing selection	190
	Report Programming	193
	Zero škip	194
	General report format	195
	Hourly report ·····	195
	Stacked report ·····	196
	Message Programming	
	Receipt logo ······	
	Free text ······	
	Validation printing text ······	
	Slip text	
	Slip footer	
	Entertainment bill message ······	201
	Payee name	
	Funktion Key Programming	
	Device Configuration Programming	203
	Journal printer	204
	Receipt printer	
	Slip printer	
	Report printer	207
	Remote printer (KP#1 through KP#9)	207
	Scale/Drink dispenser/On-line	208
	Drive-through Code Programming	
	Drive-through code	209
	Tax Programming	210
	IR Data Send Programming	211
	IR data send	
	IR Data Receive Programming	
	IR data receive	
	Drink Dispenser Programming	
	Drink dispenser preset	214
	Drink dispenser operator ·····	215
	Downloading	215
	On-line Configuration Programming	216
	Price Mode Programming	
	Automatic Sequencing Key Programming	218
	Reading of Stored Programs	219
	Program reading sequence	219
	Sample printouts	
14.	Drink Dispenser	235
	Drink dispenser misoperation and misoperation file	236
	Causes of drink dispenser misoperation	236
	Description of misoperation	237
	Misoperation file reading	237
	Correction of drink dispenser articles in a drink dispenser misoperation file	
	Concentration of animal dispersion and animal dispersion interporation into	200
15	Electronic Journal/Data Clear	230
10.	Liconomic dournal, Data Octai	200
16	EURO Migration Function	240
10.	LONG Migration i unction	240
17	Operator Maintenance	2/1
17.	Replacing the Backup Battery Pack	241
	In Case of Power Failure	241
	Before Calling for Service	∠ 43
40	Ontions	044
18.	Options	244
	List of Options	244
40	Specifications	0.45
19.	Specifications	245

This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store:

https://the-checkout-tech.com/manuals/sharp/UP-3300 operating manual.html

And our free Online Keysheet maker:

https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM