


POS TERMINAL

UP-3301

INSTRUCTION MANUAL



CAUTION: Please observe the following when an optional drawer is used.

The drawer units should be securely fitted to the supporting platform to avoid instability when the drawers are open.

CAUTION:

The socket-outlet shall be installed near the equipment and shall be easily accessible.

VORSICHT:

Die Netzsteckdose muß nahe dem Gerät angebracht und leicht zugänglich sein.

ATTENTION

La prise de courant murale devra être installée à proximité de l'équipement et devra être facilement accessible

AVISO

El tomacorriente debe estar instalado cerca del equipo y debe quedar bien accesible.

VARNING:

Det matande vägguttaget skall placeras nära apparaten och vara lätt åtkomligt.

CAUTION:

For a complete electrical disconnection pull out the mains plug.

VORSICHT:

Zur vollständigen elektrischen Trennung vom Netz den Netzstecker ziehen.

ATTENTION

Pour obtenir une mise hors-circuit totale, débrancher la prise de courant secteur.

AVISO:

Para una desconexión eléctrica completa, desenchufar el enchufe de tomacorriente.

VARNING:

För att helt koppla från strömmen, dra ut stickproppen.

This equipment complies with the requirements of Directives 89/336/EEC and 73/23/EEC as amended by 93/68/EEC.

Dieses Gerät entspricht den Anforderungen der EG-Richtlinien 89/336/EWG und 73/23/EWG mit Änderung 93/68/EWG.

Ce matériel répond aux exigences contenues dans les directives 89/336/CEE et 73/23/CEE modifiées par la directive 93/68/CEE.

Dit apparaat voldoet aan de eisen van de richtlijnen 89/336/EEG en 73/23/EEG, gewijzigd door 93/68/EEG.

Dette udstyr overholder kravene i direktiv nr. 89/336/EEC og 73/23/EEC med tillæg nr. 93/68/EEC.

Quest' apparecchio è conforme ai requisiti delle direttive 89/336/EEC e 73/23/EEC, come emendata dalla direttiva 93/68/EEC.

Η εγκατάσταση αυτή ανταποκρίνεται στις απαιτήσεις των οδηγιών της Ευρωπαϊκής Ενωσης 89/336/ΕΟΚ και 73/23/ΕΟΚ, όπως οι κανονισμοί αυτοί συμπληρώθηκαν από την οδηγία 93/68/ΕΟΚ.

Este equipamento obedece às exigências das directivas 89/336/CEE e 73/23/CEE, na sua versão corrigida pela directiva 93/68/CEE.

Este aparato satisface las exigencias de las Directivas 89/336/CEE y 73/23/CEE, modificadas por medio de la 93/68/CEE.

Denna utrustning uppfyller kraven enligt riktlinjerna 89/336/EEC och 73/23/EEC så som komplette ras av 93/68/EEC.

Dette produktet oppfyller betingelsene i direktivene 89/336/EEC og 73/23/EEC i endringen 93/68/EEC.

Tämä laite täyttää direktiivien 89/336/EEC ja 73/23/EEC vaatimukset, joita on muutettu direktiivillä 93/68/EEC.

Warning

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

Warnung

Dies ist eine Einrichtung der Klasse A. Diese Einrichtung kann im Wohnbereich Funkstörungen verursachen; in diesem Fall kann vom Betreiber verlangt werden, angemessene Maßnahmen durchzuführen und dafür aufzukommen.

Avertissement

Ceci est un produit de Classe A. Dans un environnement domestique ce produit risque de provoquer une interférence radio, auquel cas l'utilisateur sera obligé d'observer les mesures adéquates.

Advertencia

Este es un producto de la clase A. En un ambiente doméstico es posible que este producto cause radiointerferencia. En este caso se solicita al usuario que tome medidas adecuadas.

INTRODUCTION

Thank you very much for your purchase of the SHARP POS Terminal Model UP-3301. Please read this Manual carefully before operating your machine in order to gain full understanding of functions and features. Please keep this manual for future reference. It will help you if you encounter any operational problems.

IMPORTANT

- Install your POS terminal in a location that is not subject to direct radiation, unusual temperature changes, high humidity or exposure to water sources.
 - Installation in such locations could cause damage to the cabinet and the electrical components.
- The POS terminal should not be operated by an individual with wet hands.

 The water could seep into the interior of the POS terminal and cause component failure.
- Do not apply excessive pressure to the display.
 Do not use a sharp-pointed object on the display.
 - The LCD display will be damaged easily.
- When cleaning your POS terminal, use a dry, soft cloth. Never use solvents, such as benzine and/or thinner.
 - The use of such chemicals will lead to discoloration or deterioration of the cabinet.
- The surface of the screen may become smeared and accumulate dust during use.

 Gently wipe the surface of the screen with a soft cloth that has been dipped in a mild detergent solution and squeezed dry.
- The POS terminal plugs into any standard wall outlet (official (nominal) voltage).

 Other electrical devices on the same electrical circuit could cause the POS terminal to malfunction.
- If the POS terminal malfunctions, call your authorized SHARP dealer for service do not try to repair the POS terminal yourself.

PRECAUTION

This POS terminal has a built-in memory protection circuit which is operated by a rechargeable battery pack. It should be known that all batteries will, in time, dissipate their charge even if not used. Therefore to insure an adequate initial charge in the protection circuit and to prevent any possible loss of memory upon installation, it is recommended that each unit be allowed to be recharged for a period of 24 to 48 hours prior to use by the customer.

In order to charge the battery pack, the machine must be plugged in and its power switch must be set to the "ON" position. This recharging precaution can prevent unnecessary initial service calls.

CONTENTS

	RODUCTION		
MI	PORTANTECAUTION	•••	1
r	ECAUTION		1
1	Part Names and Functions		7
٠.	External View		7
	Front view ·····	••• -	7
	Rear view ·····		7
	Display	، إ	8
	Operator display (touch panel) ·····	8	8
	Screen save mode	(9
	Clerk keys ····	• 1(D
2	Before Operating the POS Terminal	· 1	1
	Before Operating the POS Terminal Display Adjustment	٠i٠	1
	Connecting the Printer and Installing the Paper Rolls	· 1	1
2	Selecting an Operating Mode	. 14	2
٥.	Operating Modes	. 14	2
	Mode Selection	· 1:	3
	Selecting a mode	· 1;	3
	Returning to the mode selection window ·····	• 13	3
_			
4.	Receipts Type of Receipts	14	4
	Addition receipt type	'] 4 . •	4
	Addition without payment receipt type	' 4 . 1	4
	Single/double receipt type	. 14	+
	Single/double receipt type Single/double + addition receipt type	. 17	5
	Addition + single receipt type	. 10	n
	Double addition receipt type	• 10	ñ
	Double (addition + single) receipt type	. 16	6
	Double (addition + single) receipt type Sorted Receipt Function	1.	7
_	Prior to Entries ····	0	_
Э.	Prior to Entries Preparations for Entries	. 21	J
	Error Warning	. 20	J
	Sample Receipt	. 20	n
	·		
6.	Entries	. 2	1
	Function Key Description	. 5.	1
	Touch-panel keyboard ······ Function keys list ·····	. 5.	1
	How to Use the Touch Panel	. 2	ქ ე
	Cursor control by touching option(s) or item(s) in the window	. a	っっ
	Cursor control by touching option(s) or item(s) in the window	· 3,	1
	Item Selection from the Menu Window	· 3,	4
	Starting Cash Memory Entry	. 3!	5
	Item Entries	. 36	6
	Single item entries	. 36	6
	Repeat entries ·····	. 38	8
	Multiplication entries	. 38	8
	Split-pricing entries	. 3	9
	Single item cash sale (SICS)/single item finalize (SIF) entries ·····	• 40	J
	Scale entries	4	1
	Non-turnover sales	4	3
	Special Entries for PLUs Promotion (normal selling) function	. 44	4
	Promotion (normal selling) function Promotion (set selling) function	. 44	4
	i Tomotion (set seiling) tunction	+;	ر

Link PLU entries ·····	46
Combo meal entries ······	46
With/without entries ·····	47
PLU level shift (for direct PLUs)	48
PLU price level shift ······	50
Condiment entries	51
Happy hour ·····	53
Department shift ······	53
Pint entries ·····	54
Display of Subtotals	55
Subtotal	55
Difference subtotal (Differ ST)	55
Finalization of Transaction	53
Cash or check tendering	56
Mixed tendering (check + cash)	50
Mixed teridering (Check + Cash)	
Cash or check sale that does not need any tender entry	5/
Creati sale	58
Mixed-tender sale (cash or check tendering + credit tendering) Computation of VAT (Value Added Tax)/Tax VAT/tax system	58
Computation of VAT (value Added Tax)/Tax	59
VAT/tax system	59
Vat shift entries	60
Guest Check (GLU/PBLU)	61
GLU/PBLU system ·····	61
Drive-through function Deposit entries	64
Deposit entries	68
Transferring guest checks out or in (Transfer-in/out) Bill printing	69
Bill printing ·····	····· 70
Intermediate GLU reading (only for GLU system) Bill totalizing/bill transfer	71
Bill totalizing/bill transfer ······	71
Bill separating ······	7:3
Transaction migration ·····	75
Transaction migration ————————————————————————————————————	76
Percent calculations (premium or discount)	76
Discount entries	77
Refund entries	78
Return entries ·····	78
Printing of non-add code numbers	79
Printing of free text	79
Entertainment bill	80
Payment Treatment Payment Treatment	81
Tip-in entries	81
Currency exchange ·····	82
Received-on-account entries ······	83
Paid-out entries	۰ Ω
No-sale (exchange) ······	
Transferring cash ·····	05
Cashing a check	
Service charge ·····	00
VIP sales ·····	87
WASTE mode ·····	
Employee Function	88
Employee Function	89
Clerk/manager sign-on ·····	89
Employee's working time recording	89
TRAINING Mode	91
Supervisor Clerk ·····	92
Overlapped Clerk Entry	93
7. Correction	94
Correction of the Last Entry (Direct Void)	94
Correction of the Next-to-Last or Earlier Entries (Indirect Void)	95
Correction of Incorrect Entries Not Handled by the Direct, Indirect or Subtotal Void Function ·	96

8. Specia	al Printing Function ·····	····· 97
Copy	y Receipt Printing	97
Gue	st Check Copy	98
Valid	dation Printing Function ·····	98
9. Manag	ger Mode ·····	99
Ente	ring the Manager Mode ·····	99
Over	ride Entries	99
Tip F	Paid Entries	···· 100
Bill r	ecording/Bill void ·····	···· 100
10. Corre	ection after Finalizing a Transaction ·····	101
11. Read	ling (X) and Resetting (Z) of Sales Totals ·····	102
	How to take a X1/Z1 or X2/Z2 report	102
Daily	/ Sales Totals	105
,	General report	105
	Department report	108
	Individual group total report on departments ·····	108
	Full group total report on departments ······	108
	PLU report by designated range	109
	PLU report by designated range Combo sales report	110
	PLU report by associated department ·····	111
	Individual group report on PLUs	···· 112
	Full group total report on PLUs	···· 112
	PLU stock report	112
	PLU cost report	113
	PLU top 20 report	114
	PLU zero sales report (full)	115
	PLU zero sales report (by dept.)	115
	PLU minimum stock report ······	115
	PLU group total report by hour ······	116
	Total in drawer report	116
	Transaction report	110
	Commission sales report	117
	Tax report	117
	Chief report	117 117
	Full clerk report	110
	Individual clerk report ·····	
	Clark report (Dripk diapoper miseperation)	101
	Clerk report (Drink dispenser misoperation)	121
	Drink dispenser error reading report	101
	Drink dispenser resetting report	121
	Hourly report ······	122
	Houry report	122
	Drive-through service time report	122
	Labor cost % report	123
	Ingredient stock report ····	123
	GLU/PBLU report	123
	GLU/PBLU report by clerk ·····	124
	Drive-through report	···· 124
	Drive-through report by clerk ·····	···· 125
	Balance report	···· 125
	Bill report	125
	X1/Z1 stacked reports ·····	···· 125
Perio	odic Consolidation	···· 126
	General information ·····	···· 126
	Employee report ·····	···· 127
	Over time report	127
	Employee time adjustment report	···· 128
	Daily net report ······	···· 128
	X2/Z2 stacked report	···· 128
Com	pulsory Cash/Check Declaration	···· 129

12. How to Use the Programming Keyboard ······ Programming Keyboard Layout ······	
How to Program Alphanumeric Characters	
Using character keys on the keyboard	
Entering character codes	
·	
13. Programming ······	
Basic Instructions	
Programming example	
Article Programming	
Department	
PLÜ	
PLU range ·····	
PLU stock ······	
Ingredient ·····	
Ingredient stock ······	
PĽU menu key ·····	
Combo meal	
Link PLU table ······	
Condiment table	
Promotion table (normal selling)	
Promotion table (set selling)	
Recipe table	
Scale table ·····	
Department shift ······	
Happy hour ······	
Direct Key Programming	
Direct PLU/dept, key ······	
Functional Programming	
Discount key ((-)1) thru (-)9)	
Percent key (%1 thru %9)	
Commission	
Service charge ······	•••••
Tip	•••••
Deposit ·····	•••••
RA ·····	•••••
PO	
Media Key Programming	
Cash key	•••••
Check key (CHK) through CHK4) ······	•••••
Credit key (CR1) through CR8)	•••••
Hotel transfer key ······	•••••
Cash in drawer ······	
Check change ······	•••••
Check cashing ······	•••••
Currency Programming	•••••
Currency exchange key (EXCHANGE) through (EXCHANGE))	•••••
Foreign drawer ······	•••••
Text Programming ······	••••••
Function text ······	•••••
Department group text ······	
PLU group text ······	
PLU hourly group text ······	
Personnel Programming	•••••
Clerk ·····	
Manager ·····	•••••
Employee ······	
Job location table ······	
Terminal Programming	
Date/Time Setting	
Date/time	
Optional Feature Selection	
Function prohibition ·······	

	Function selection ·····	188
	Printing selection ·····	190
	Programming for EURO change job Report Programming Zero skip	192
	Report Programming ·····	193
	Zero skip	194
	General report format ······	195
	Hourly report	195
	Stacked report	196
	Message Programming ·····	199
	Receipt logo	200
	Free text	200
	Validation printing text ······	201
	Slip text	201
	Slip footer ·····	201
	Entertainment bill message ······	201
	Payee name ······	202
	Funktion Key Programming ······	202
	Fulkion key riogramming	203
	Device Configuration Programming Journal printer	204
	Receipt printer	205
	Receipt printer	. 205
	Slip printer	206
	Report printer	207
	Remote printer (KP#1 through KP#9)	207
	Scale/Drink dispenser/On-line	208
	Drive-through Code Programming	209
	_ Drive-through code	209
	Tax Programming	210
	Drink Dispenser Programming ·····	211
	Drink dispenser preset ·····	212
	Drink dispenser operator ·····	213
	Downloading ·····	213
	On-line Configuration Programming Price Mode Programming	214
	Price Mode Programming ·····	215
	Automatic Sequencing Key Programming	216
	Automatic Sequencing Key Programming	217
	Program reading sequence ······	217
	Sample printouts	219
14.	Drink Dispenser	233
	Drink dispenser misoperation and misoperation file	234
	Causes of drink dispenser misoperation	234
	Drink dispenser misoperation and misoperation file Causes of drink dispenser misoperation Description of misoperation	235
	Misoperation file reading	. 235
	Correction of drink dispenser articles in a drink dispenser misoperation file	236
	Correction of drink dispenser articles in a drink dispenser misoperation me	200
15	Electronic Journal/Data Clear	. 227
15.	Electronic Journal/Data Clear	231
16	EURO Migration Function	220
10.	EURO Migration Function	230
47	Operator Maintenance	. 000
17.	Operator Maniteriance	235
	Replacing the Backup Battery Pack	239
	In Case of Power Failure	241
	Before Calling for Service ·····	241
_		
18.	Options	242
	List of Options	242
10	Specifications	2/13

This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store:

https://the-checkout-tech.com/manuals/sharp/UP-3301 operating manual.html

And our free Online Keysheet maker:

https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM