

**GENERAL-PURPOSE THERMAL
LABEL/TAG PRINTER**

Models:

B-452-QQ

B-452-QP

LAN INTERFACE SPECIFICATION

First Edition: March 2, 1999

Second Edition: July 16, 1999

TOSHIBA TEC CORPORATION

TABLE OF CONTENTS

	Page
1. SCOPE	1
2. GENERAL DESCRIPTION	1
3. CONNECTION DIAGRAM	1
4. NETWORK SPECIFICATIONS	2
4.1 PROTOCOL.....	2
(1) Specification.....	2
(2) Communication Session.....	2
4.2 LPR SERVER.....	2
4.3 SOCKET COMMUNICATION.....	2
4.3.1 Client Connection.....	3
5. DATA FORMAT FOR SOCKET COMMUNICATION	5
5.1 TRANSPARENT MODE	5
5.2 COMMAND MODE.....	5
5.2.1 Data To Be Sent To B-7704-LAN From Host	6
5.2.2 Data To Be Sent To Host From B-7704-LAN	8
6. PRINTER INTERFACE	10
6.1 RS-232C.....	10
6.2 CENTRONICS.....	11
7. CONTENTS OF SETTINGS FOR B-7704-LAN	12
7.1 SETTINGS AT SHIPMENT FROM FACTORY.....	12
7.2 HOW TO CHANGE IP ADDRESS SET BEFORE SHIPMENT FROM FACTORY.....	12
7.3 SETTING BY TELNET.....	13
8. RS-232C INITIAL SETTING MODE	15
8.1 INITIAL SETTING PROCEDURE	15
8.2 TRANSMISSION SEQUENCE.....	15
8.3 INITIAL SETTING DATA	16
9. LED AND DIP SW	17
9.1 LED	17
9.2 DIP SW SETTING.....	17
APPENDIX 1 IP ADDRESS SETTING AT SHIPMENT FROM FACTORY	18

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

<https://the-checkout-tech.com/manuals/TEC/B452 LAN Specification manual.html>

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)