



TOSHIBA TEC On-Site Color Printer

**CB-416-T3-QQ/QP**

**Key Operation Specification**

First Edition: September 14, 1998  
Second Edition: February 22, 2000

**TOSHIBA TEC CORPORATION**

# TABLE OF CONTENTS

|   | Page      |
|---|-----------|
| <b>1. SCOPE</b> .....                                     | <b>1</b>  |
| <b>2. OUTLINE</b> .....                                   | <b>1</b>  |
| <b>3. DIP SWITCH FUNCTIONS</b> .....                      | <b>2</b>  |
| <b>4. OPERATION PANEL</b> .....                           | <b>4</b>  |
| <b>5. ONLINE MODE</b> .....                               | <b>4</b>  |
| 5.1 KEY FUNCTION.....                                     | 4         |
| 5.2 LED FUNCTION.....                                     | 4         |
| 5.3 LCD FUNCTION .....                                    | 5         |
| 5.4 ONLINE MODE OPERATION EXAMPLE.....                    | 5         |
| 5.5 RESET .....   | 6         |
| 5.6 LCD MESSAGES AND LED INDICATIONS .....                | 7         |
| 5.7 LCD MESSAGES IN DIFFERENT LANGUAGES.....              | 9         |
| <b>6. SYSTEM MODE</b> .....                               | <b>10</b> |
| 6.1 OUTLINE OF SYSTEM MODE .....                          | 10        |
| 6.2 SELF TEST .....                                       | 11        |
| 6.2.1 Self Test Operation Example.....                    | 11        |
| 6.2.2 Self Test Items.....                                | 13        |
| 6.2.3 Self Test Results Print Samples .....               | 15        |
| 6.2.4 Self Test Print Contents.....                       | 16        |
| 6.3 VARIOUS PARAMETERS SETTING.....                       | 22        |
| 6.3.1 Various Parameters Setting Example.....             | 22        |
| 6.3.2 Print Density Fine Adjustment Setting Example ..... | 23        |
| 6.3.3 X/Y Direction Fine Adjustment Setting Example ..... | 24        |
| 6.3.4 Printer Parameters Setting Example .....            | 31        |
| 6.3.5 Setting Contents .....                              | 32        |
| 6.4 TEST PRINT .....                                      | 42        |
| 6.4.1 Test Print Operation Example .....                  | 42        |
| 6.4.2 Setting Contents .....                              | 46        |
| 6.4.3 Test Print Samples .....                            | 50        |
| 6.5 RAM CLEAR .....                                       | 52        |
| 6.5.1 RAM Clear Operation Example .....                   | 52        |
| 6.5.2 RAM Clear Contents.....                             | 53        |

## **1. SCOPE**

This specification applies to the key operations using the keys and the display panel of CB-416-T3-QQ/QP on-site color printers.

## **2. OUTLINE**

Keyboard operations are roughly classified into the online mode in which a pause/restart is carried out and error messages are displayed, and the system mode in which the self-test and the setting of various parameters are performed.

This specification describes the key operation procedures using the printer keys and the display panel.

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/TEC/CB-416-T3 Key Operation Specification ma](https://the-checkout-tech.com/manuals/TEC/CB-416-T3%20Key%20Operation%20Specification%20ma)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)