

TWO-COLOR PRINTER

Models:

CB-426-T3-QQ

CB-426-T3-QP

KEY OPERATION SPECIFICATION

First Edition: February 19, 1999

TOSHIBA TEC CORPORATION

TABLE OF CONTENTS

	Page
1. SCOPE	1
2. OUTLINE	1
3. DIP SWITCH FUNCTIONS	2
4. OPERATION PANEL	4
5. ONLINE MODE	4
5.1 KEY FUNCTION.....	4
5.2 LED FUNCTION.....	4
5.3 LCD FUNCTION.....	5
5.4 ONLINE MODE OPERATION EXAMPLE	5
5.5 RESET	6
5.6 LCD MESSAGES AND LED INDICATIONS	7
5.7 LCD MESSAGES IN DIFFERENT LANGUAGES	9
6. SYSTEM MODE	10
6.1 OUTLINE OF SYSTEM MODE.....	10
6.2 SELF-TEST.....	11
6.2.1 Self-test Operation Example	11
6.2.2 Self-test Items	13
6.2.3 Self-test Results Printout Samples	15
6.2.4 Self-test Printout Contents.....	16
6.3 VARIOUS PARAMETERS SETTING.....	22
6.3.1 Various Parameters Setting Example	22
6.3.2 Print Density Fine Adjustment Setting Example.....	23
6.3.3 X/Y Direction Fine Adjustment Setting Example	24
6.3.4 Printer Parameters Setting Example	31
6.3.5 Setting Contents.....	32
6.4 TEST PRINT	42
6.4.1 Test Print Operation Example	42
6.4.2 Setting Contents.....	46
6.4.3 Test Print Samples.....	50
6.5 RAM CLEAR	52
6.5.1 RAM Clear Operation Example	52
6.5.2 RAM Clear Contents.....	53

1. SCOPE

This specification applies to the key operations using the keys and the display panel of the CB-426-T3-QQ/QP two-color printers.

2. OUTLINE

Keyboard operations are roughly classified into the online mode in which a pause/restart is carried out and error messages are displayed, and the system mode in which the self-test and the setting of various parameters are performed.

This specification describes the key operation procedures using the printer keys and the display panel.

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/TEC/CB-426-T3 Key Operation Specification ma](https://the-checkout-tech.com/manuals/TEC/CB-426-T3%20Key%20Operation%20Specification%20ma)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://the-checkout-tech.com)