



Weighing Scale

NWC

Operation Manual

Data (5bytes)

G.W. = Gross weight mode **N.W.** = Net weight mode

Data (9bytes)

" — " (minus) =2D(HEX) " + " (plus) =2B(HEX)

" . " (decimal) =2E(HEX) " " (space) =20(HEX)

Unit (2bytes)

g = 20(HEX); 67(HEX);

kg = 6B(HEX); 67(HEX);

lb = 6C(HEX); 62(HEX);

oz = 6F(HEX); 7A(HEX);

enter = OD(HEX); OA(HEX)

1、 Kg

Example:

G.W.:+2.0000kg

or N.W.:+2.0000kg

2、 g

Example:

G.W.:+2000.0g

or N.W.:+ 2000.0g

3、 lb

Example:

G.W.:+4.090lb

or N.W.:+ 4.090lb

4、 oz

Example:

G.W.: +70.55oz

or N.W.: +70.55oz

TABLE OF CONTENTS

| | |
|-----------------------------|---|
| I. Introduction----- | 1 |
| II. Precautions----- | 1 |
| III. Keypad Functions----- | 2 |
| IV. Symbol Definition----- | 2 |
| V. Function illuminate----- | 2 |
| VI. Operations----- | 3 |

Extra 2 pages for Calibration included

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/Accuweigh/NWC operation and calibration manu](https://the-checkout-tech.com/manuals/Accuweigh/NWC%20operation%20and%20calibration%20manual.pdf)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)