

# Operating manual

MODEL:PW-200



# PREFECE

Acom Inc. would like to thank you for your choosing our product PW-200 Simple Weighing Scale. We are committed to creating high quality low maintenance products and supply our customers with diligent customer service.

# SPECIFICATION

MODEL:	PW-200			
MAX. CAPACITY:	3Kg	6Kg	15Kg	30Kg
MIN. GRADUATION:	1 g	2 g	5 g	10 g
MAX. TARE	3 Kg	6 Kg	15 Kg	30 Kg
A/D COVERSSION RATE:	12 UPDATE / SECOND			
INTERNAL RESOULTION:	60,000 COUNTS			
DISPLAY:	LCD CAP.(5)			
POWER REQUIREMENT:	BATTERY DM 1.5 x 2			
POWER CONSUMPTION:	ABOUT 0.09 W			
WEIGHING PAN SIZE	(W)227mm × (D)190mm			
PRODUCT SIZE	(W)231mm × (D)276mm × (H)109mm			

# INSTALLATION AND PRECAUTION

- PLACE THE SCALE ON A FLAT AND RIGID SITE THAT IS FREE OF VIBRATIONS.
- PLEASE AVOID THE RADIO DEVICES WHICH EMIT A STRONG ELECTROMAGNETIC FIELDS NEAR BY TO INSTALL.
- DO NOT APPLY SUDDEN IMPACT TO THE WEIGHING PAN
- DO NOT SPILL THE WATER TO THE SCALE.
- DO NOT USE CLEANERS INCLUDE SOLVENT OR SINNER.
- BECAUSE OF THIS PRODUCTS HAVE TO GET THE PERIODICAL INSPECTION OBLIGATORILY, PLEASE MAKE A PROOFREADING PERIODICALLY.

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/acom/PW-200 operating manual.html](https://the-checkout-tech.com/manuals/acom/PW-200%20operating%20manual.html)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)