



Digital Counting Scale
CS Series
Operation Manual

INTRODUCTION

Thank you for purchasing our Detecto CS Series Digital Counting Scale. Your scale is equipped with a rechargeable battery pack that is able to provide 100 hours continuous operation (with backlight on) or 200 hours continuous operation (with backlight off).

This manual will guide you through setup and operation of your scale. Please read it thoroughly before attempting to operate this scale and keep it handy for future reference.

FCC COMPLIANCE STATEMENT

WARNING! This equipment generates, uses and can radiate radio frequency and if not installed and used in accordance with the instruction manual, may cause interference to radio communications. It has been tested and found to comply with the limits for a Class A computing device pursuant to Subpart J of Part 15 of FCC rules, which are designed to provide reasonable protection against such interference when operated in a commercial environment. Operation of this equipment in a residential area may cause interference in which case the user will be responsible to take whatever measures necessary to correct the interference.

You may find the booklet "How to Identify and Resolve Radio TV Interference Problems" prepared by the Federal Communications Commission helpful. It is available from the U.S. Government Printing Office, Washington, D.C. 20402, stock No. 001-000-00315-4.

All rights reserved. Reproduction or use, without expressed written permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. While every precaution has been taken in the preparation of this manual, the Seller assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from use of the information contained herein. All instructions and diagrams have been checked for accuracy and ease of application; however, success and safety in working with tools depend to a great extent upon the individual accuracy, skill and caution. For this reason the Seller is not able to guarantee the result of any procedure contained herein. Nor can they assume responsibility for any damage to property or injury to persons occasioned from the procedures. Persons engaging the procedures do so entirely at their own risk.

Serial Number _____ Date of Purchase _____ Purchased Form _____ _____ _____ _____ <p style="text-align: center;">RETAIN THIS INFORMATION FOR FUTURE USE</p>
--

TABLE OF CONTENTS

INSTALLATION	1
PRECAUTIONS	2
CARE AND CLEANING	2
KEY FUNCTIONS	3
ANNUNCIATORS	5
OPERATION	6
Display Backlight	6
Counting	7
Accumulator	8
Tare Weight Entry	9
Quantity/Weight Preset Limits	10
CALIBRATION	11
OPERATIONAL SETUP	12
ERROR AND STATUS DISPLAYS	15
BEFORE YOU CALL SERVICE	15

SPECIFICATIONS

Displays: (.75" High LCD, with backlight)	Weight = 5 Digits Piece Weight = 5 Digits Count = 6 Digits
Dimensions:	11.75" W x 12.63" D x 4.25" H (298mm x 321mm x 108mm)
Platform Size	11.38" W x 8.25" D (289mm x 210mm)
Model CS-6 CS-15 CS-30 CS-65	Capacity and Division Value 6 lb x .0005 lb (3 kg x .2g) 15 lb x .001 lb (7.5 kg x .5g) 30 lb x .002 lb (15 kg x 1g) 65 lb x .005 lb (30 kg x 2g)
Zero	Established on power up routine and maintained by auto-zero circuitry
Power	Built-in rechargeable battery pack or 115 VAC 50/60Hz or 230 VAC 50/60Hz
Tare	100% of full scale capacity
Temperature	32 ~ 104°F (0° ~ 40°C)
Humidity	25% ~ 95% RH

PRECAUTIONS

Before using this instrument, read this manual and pay special attention to all "WARNING" symbols:



IMPORTANT



ELECTRICAL
WARNING

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/cardinal/CS Series user manual.html](https://the-checkout-tech.com/manuals/cardinal/CS%20Series%20user%20manual.html)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)