

PL425
Patient Lift
Owner's Manual

Thank you for purchasing our DETECTO™ Model PL425 Patient Lift. It has been manufactured with quality and reliability at our factory in Webb City, MO USA.

When removing the lift from its packing, inspect it for signs of damage, such as exterior dents and scratches. Keep the carton and packing material for return shipment if it should become necessary. It is the responsibility of the purchaser to file all claims for any damages or loss incurred during transit, unless this responsibility has been accepted by the seller in its proposal.

This manual is provided to guide you through installation and maintenance of your lift. Please read it thoroughly before attempting to install or service your PL425 and keep it handy for future reference.

All rights reserved. Reproduction or use, without expressed written permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. While every precaution has been taken in the preparation of this manual, the Seller assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from use of the information contained herein. All instructions and diagrams have been checked for accuracy and ease of application; however, success and safety in working with tools depend to a great extent upon the individual accuracy, skill and caution. For this reason the Seller is not able to guarantee the result of any procedure contained herein. Nor can they assume responsibility for any damage to property or injury to persons occasioned from the procedures. Persons engaging the procedures do so entirely at their own risk.

TABLE OF CONTENTS

Specifications	1
Introduction	2
Assembly Instructions	2
Component Identification	3
Preventive Maintenance	4
Service Information	4
Parts Identification	5

SPECIFICATIONS

Capacity: 400 lbs (180 kg)

Casters: Four (4); full swivel, rear pair

locking

Lift Hydraulic

Mechanism:

Closed 54"H x 22"W x 50"L Overall (1.37m H x 0.56m W x

Dimensions: 1.27m L)
Under bed 4.8"H
clearance: (122mm)
Shipping 250 lbs
Weight: (113kg)

SERIAL NUMBER DATE OF PURCHASE PURCHASED FROM	
BETAIN THIS INFORMATION FOR FLITLIRE LISE	

PRECAUTIONS

Before using this product, read this manual and pay special attention to all "CAUTION" and "WARNING" symbols:



IMPORTANT

This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store:

https://the-checkout-tech.com/manuals/cardinal/PL-425 owners manual.html

And our free Online Keysheet maker:

https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM