

VET-400 VETERINARY SCALE

Owner's Manual





1930-M352-O1 Rev D 11/06 CARDINAL SCALE MFG. CO. PO BOX 151 • WEBB CITY, MO 64870 PH (417) 673-4631 • FAX (417) 673-5001 Web Site - www.detectoscale.com

Printed in USA

Technical Support: Ph: 866-254-8261 • techsupport@cardet.com

INTRODUCTION

Thank you for your purchase of our Detecto VET-400 Electronic Veterinary Scale. It was built with Detecto quality and reliability at our factory in Webb City, Missouri. This manual will guide you through installation, and operation of your scale. Please read it thoroughly before attempting to operate this scale and keep it handy for future reference.

FCC COMPLIANCE STATEMENT

WARNING! This equipment generates uses and can radiate radio frequency and if not installed and used in accordance with the instruction manual, may cause interference to radio communications. It has been tested and found to comply with the limits for a Class A computing device pursuant to Subpart J of Part 15 of FCC rules, which are designed to provide reasonable protection against such interference when operated in a commercial environment. Operation of this equipment in a residential area may cause interference in which case the user will be responsible to take whatever measures necessary to correct the interference.

You may find the booklet "How to Identify and Resolve Radio TV Interference Problems" prepared by the Federal Communications Commission helpful. It is available from the U.S. Government Printing Office, Washington, D.C. 20402. Stock No. 001-000-00315-4.

All rights reserved. Reproduction or use, without expressed written permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. While every precaution has been taken in the preparation of this manual, the Seller assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from use of the information contained herein. All instructions and diagrams have been checked for accuracy and ease of application; however, success and safety in working with tools depend to a great extent upon the individual accuracy, skill and caution. For this reason the Seller is not able to guarantee the result of any procedure contained herein. Nor can they assume responsibility for any damage to property or injury to persons occasioned from the procedures. Persons engaging the procedures do so entirely at their own risk.

Serial Number
Date of Purchase
Purchased Form

RETAIN THIS INFORMATION FOR FUTURE USE

TABLE OF CONTENTS

INTRODUCTION	1
SPECIFICATIONS	1
UNPACKING INSTRUCTIONS	2
INSTALLATION	2
Installing the Deck or Rubber Mat	2
Interconnections	2
Scale Base Connection	2
Power Supply	3
Batteries	3
Battery Operation	3
Battery Charging	3
Battery Installation/Replacement	3
OPERATION	5
ERROR AND STATUS DISPLAYS	6
BEFORE YOU CALL SERVICE	6
CARE AND CLEANING	7
PARTS IDENTIFICATION	8

SPECIFICATIONS

Power Requirements	6 "AA" size Alkaline, Ni-Cad or NiMH batteries (not included) OR an optional 100 to 240 VAC 50/60Hz 12 VDC 1A wall plug-in UL/CSA listed AC power supply.
Platform Size	22" x 42" x 2" Stainless Steel with Pad
Capacity	400 lb x .2 lb (180 kg x .1 kg)
Operating Temperature	14º to 104º F (-10º to +40º C)
Shipping Weight	73 lb

PRECAUTIONS

Before using this instrument, read this manual and pay special attention to all "WARNING" symbols:



This is a "Table of Contents preview" for quality assurance

The full manual can be purchased from our store: https://the-checkout-tech.com/manuals/cardinal/VET-400 owners manual.html

And our free Online Keysheet maker: https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM