

Operating manual

Digibar[®] II

PE300

Contents	Page
Safety instructions	4
2 Fitting	8
3 Connections	12
3.1 Operation with lithium battery (3.6V)	12
3.2 Operation with two miniature cells	14
3.3 Operation with external supply voltage	15
3.4 Operation with relay board	18
3.5 Relay contacts circuit logic	18
4 Commissioning	19
5 Multi-function display	20
5.1 Trend indicator	20
5.2 Digital measured value display	20
5.3 Bar graph	21
5.4 Menu block	21
5.5 Text box (units/function field)	21
5.6 Symbol bar	22
5.6.1 Battery symbol	22
5.6.2 Input lock	22
5.6.3 Limit value/hysteresis warning	22
5.6.4 Analogue output warning	22
5.6.5 MIN/MAX	22
6 Button functions	23
6.1 Operating	24
6.2 Overview of operating functions	25
6.3 Functions	25
6.3.1 OPERATION group	25
6.3.2 CONFIG group	26
6.3.3 SERVICE group	29
6.3.4 SPECIAL group	30
6.4 Typical settings	35
7 Overview of operating functions	40
8 Technical Data	42
9 Dimensions	45
10 Adjustment ranges and factory settings for PE300	46
11 Options for PE300	50
12 Copy of Declaration of Conformity	52
13 Keyword index	54

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

<https://the-checkout-tech.com/manuals/hbm/PE-300 Digibar II operating manual.html>

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)