

Operating Manual

PC measurement electronics

**Spider8**  
**Spider8-30 and**  
**Spider8-01**

B0405-7.0 en



---

# Contents

---

Safety instructions .....	4
<b>A Introduction .....</b>	<b>A-1</b>
1 Points to note about the Spider8 documentation .....	A-3
2 List of components supplied .....	A-4
3 What is Spider8 .....	A-5
3.1 Survey of the Spider8 family - module types .....	A-9
<b>B Structure of the PC measurement electronics with Spider8 .....</b>	<b>B-1</b>
1 Connection facilities .....	B-3
1.1 Power supply/power pack .....	B-4
1.2 Modules (carrier-frequency/DC) .....	B-5
2 Interfaces .....	B-6
2.1 PC/Master .....	B-7
2.2 Printer/Slave .....	B-8
2.3 RS-232-C .....	B-9
3 I / O socket .....	B-11
4 Front panel .....	B-15
<b>C Commissioning .....</b>	<b>C-1</b>
1 Commissioning .....	C-3
1.1 Installing modules .....	C-4
1.2 Switching on Spider8 .....	C-6
1.3 Installing software .....	C-7

*For the sake of the environment, we print on chlorine-free paper.  
The binder and slip-case are finished in chlorine-free polypropylene film.*

<b>D</b>	<b>Connecting .....</b>	<b>D-1</b>
1	Shielding design .....	D-3
2	Connecting a power pack .....	D-4
3	Connecting transducers .....	D-5
3.1	S/G transducers .....	D-11
3.1.1	S/G full bridge .....	D-11
3.1.2	S/G half bridge .....	D-12
3.1.3	Single S/G using three-wire connection .....	D-13
3.1.4	Single S/G using three-wire connection .....	D-14
3.1.5	Special S/G using three-wire connection (Increasing the internal compensating resistance) .....	D-15
3.1.6	Special S/G using three-wire connection (External compensating and shunt resistor) .....	D-16
3.2	Inductive transducers .....	D-17
3.2.1	Inductive full bridge .....	D-17
3.2.2	Inductive half bridge .....	D-18
3.3	DC voltage sources .....	D-19
3.4	DC power sources .....	D-21
3.5	Resistors .....	D-22
3.6	Potentiometer .....	D-23
3.7	Thermocouples .....	D-24
3.8	Frequency measurement / pulse counters .....	D-26
4	Connecting a PC .....	D-27
4.1	PC requirements .....	D-27
4.2	Connecting several Spider8 devices .....	D-29
4.2.1	Mixed operation for device types Spider8 and Spider8-30 .....	D-30
5	Connecting a printer .....	D-31

---

---

<b>E</b>	<b>Configuring the Spider8 with the setup program .....</b>	<b>E-1</b>
1	Setup program .....	E-3
1.1	The first display .....	E-5
1.2	Description of the setup dialogue .....	E-11
1.3	Mark channels .....	E-20
2	Channel-specific menus .....	E-22
3	Device-specific menus .....	E-30
<b>F</b>	<b>Specifications .....</b>	<b>F-1</b>
<b>G</b>	<b>Keyword index .....</b>	<b>G-1</b>
<b>H</b>	<b>Declaration of conformity .....</b>	<b>H-1</b>

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:

[https://the-checkout-tech.com/manuals/hbm/Spider8\\_Spider8-30\\_and\\_Spider8-01\\_operating-manual.pdf](https://the-checkout-tech.com/manuals/hbm/Spider8_Spider8-30_and_Spider8-01_operating-manual.pdf)

And our free Online Keysheet maker:

<https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/>

[HTTPS://THE-CHECKOUT-TECH.COM](https://THE-CHECKOUT-TECH.COM)