




# BC-4000

## Service Manual



### IMPORTANT

- Do not carry out installation, operation, service, or maintenance until thoroughly understanding the contents of this manual.
- Keep this manual available at all times for installation, operation, service, and maintenance.

**ISHIDA CO., LTD.**

# CONTENTS

|   |            |
|---|------------|
| <b>Chapter 1 OVERVIEW .....</b>             | <b>1-1</b> |
| 1.1 FRONT VIEW.....                         | 1-1        |
| 1.2 REAR VIEW.....                          | 1-1        |
| 1.3 DISPLAY .....                           | 1-2        |
| 1.4 KEY SHEET .....                         | 1-2        |
| 1.5 SPECIFICATIONS .....                    | 1-3        |
| <br>  |            |
| <b>Chapter 2 SETUP MODE (B mode).....</b>   | <b>2-1</b> |
| 2.1 ENTERING SETUP MODE .....               | 2-1        |
| 2.2 B01 LABEL FORMAT.....                   | 2-2        |
| 2.2.1 B01-01 Print Setup.....               | 2-2        |
| 2.2.2 B01-02 Label Format .....             | 2-7        |
| 2.3 B02 BARCODE SETTING.....                | 2-12       |
| 2.3.1 B02-01 POS Flag.....                  | 2-12       |
| 2.3.2 B02-02 10 Digit Flag .....            | 2-12       |
| 2.3.3 B02-03 Barcode Type .....             | 2-13       |
| 2.3.4 B02-04 POS Type .....                 | 2-14       |
| 2.3.5 B02-05 ITF 18 Digit Barcode Type..... | 2-15       |
| 2.3.6 B02-06 Manufacturer Code.....         | 2-15       |
| 2.3.7 Returning to B01.....                 | 2-15       |
| 2.4 B03 BARCODE .....                       | 2-16       |
| 2.4.1 B03-01 Item Code Position .....       | 2-16       |
| 2.4.2 B03-02 Department Code Position ..... | 2-16       |
| 2.4.3 B03-03 Group Code Position .....      | 2-17       |
| 2.4.4 Returning to B01.....                 | 2-17       |
| 2.5 B04 DEFAULT SETTING.....                | 2-18       |
| 2.5.1 B04-01 Date Print .....               | 2-18       |
| 2.5.2 B04-02 Use By Days.....               | 2-18       |
| 2.5.3 B04-03 Pack Time Print .....          | 2-19       |
| 2.5.4 B04-04 Expiry Time Print .....        | 2-19       |
| 2.5.5 B04-05 Best Before Date Print.....    | 2-20       |
| 2.5.6 B04-06 Best Before Date .....         | 2-20       |
| 2.5.7 B04-07 Unit Type .....                | 2-21       |
| 2.5.8 Returning to B01.....                 | 2-21       |
| 2.6 TOTAL MODE SELECTION.....               | 2-22       |
| 2.6.1 B05-01 Daily Total.....               | 2-22       |
| 2.6.2 B05-02 Weekly Total .....             | 2-22       |
| 2.6.3 B05-03 Monthly Total .....            | 2-23       |
| 2.6.4 Returning to B01.....                 | 2-23       |
| 2.7 B07 OPEN PRICE.....                     | 2-24       |
| 2.7.1 B07-01 Open Price Selection.....      | 2-24       |
| 2.7.2 Returning to B01.....                 | 2-24       |

|        |  |      |
|--------|--|------|
| 2.8    | PLU SELECTION.....                               | 2-25 |
| 2.8.1  | B08-02 Sales Mode .....                          | 2-25 |
| 2.8.2  | B08-03 Unit Price.....                           | 2-25 |
| 2.8.3  | B08-04 Markdown Flag.....                        | 2-26 |
| 2.8.4  | B08-05 Markdown Price.....                       | 2-26 |
| 2.8.5  | B08-06 Fixed Weight .....                        | 2-27 |
| 2.8.6  | B08-07 Quantity .....                            | 2-27 |
| 2.8.7  | B08-08 Tare .....                                | 2-28 |
| 2.8.8  | B08-09 Date Print .....                          | 2-28 |
| 2.8.9  | B08-10 SHELF LIFE .....                          | 2-29 |
| 2.8.10 | B08-11 Best Before Date Flag .....               | 2-29 |
| 2.8.11 | B08-12 Best Before Date Data.....                | 2-30 |
| 2.8.12 | B08-13 Pack Time Flag.....                       | 2-30 |
| 2.8.13 | B08-14 Pack Time Data .....                      | 2-31 |
| 2.8.14 | B08-15 Expiry Time Flag.....                     | 2-31 |
| 2.8.15 | B08-16 Expiry Time Data .....                    | 2-32 |
| 2.8.16 | B08-17 Item Code.....                            | 2-32 |
| 2.8.17 | B08-18 Barcode Type .....                        | 2-33 |
| 2.8.18 | B08-19 POS Type .....                            | 2-33 |
| 2.8.19 | B08-20 POS Flag.....                             | 2-34 |
| 2.8.20 | B08-21 POS Code .....                            | 2-34 |
| 2.8.21 | B08-22 Open Price .....                          | 2-35 |
| 2.8.22 | B08-23 Commodity Message.....                    | 2-35 |
| 2.8.23 | B08-24 Ingredients Message .....                 | 2-36 |
| 2.8.24 | B08-25 Nutrition information panel Message ..... | 2-36 |
| 2.8.25 | B08-27 Coupon Message .....                      | 2-37 |
| 2.8.26 | B08-27 Logo Image 1 .....                        | 2-37 |
| 2.8.27 | B08-28 Logo Image 2 .....                        | 2-38 |
| 2.8.28 | B08-29 Label Format Number.....                  | 2-38 |
| 2.8.29 | B08-32 Upper Limit.....                          | 2-39 |
| 2.8.30 | B08-33 Lower Limit.....                          | 2-39 |
| 2.8.31 | B08-34 Unit Type .....                           | 2-40 |
| 2.8.32 | B08-35 Department Code .....                     | 2-40 |
| 2.8.33 | B08-36 Group Code.....                           | 2-41 |
| 2.8.34 | B08-37 Register Code .....                       | 2-41 |
| 2.8.35 | B08-38 Cost Price.....                           | 2-42 |
| 2.8.36 | B08-39 POP Number .....                          | 2-42 |
| 2.8.37 | B08-41 Storage Message .....                     | 2-43 |
| 2.8.38 | B08-42 Advisory Message .....                    | 2-43 |
| 2.8.39 | Returning to B01.....                            | 2-43 |
| 2.9    | B09 SYSTEM .....                                 | 2-44 |
| 2.9.1  | B09-01 PLU Registration .....                    | 2-44 |
| 2.9.2  | B09-02 Commodity Name Registration.....          | 2-44 |
| 2.9.3  | B09-04 Preset Key.....                           | 2-45 |
| 2.9.4  | B09-05 Store Name & Address .....                | 2-45 |
| 2.9.5  | B09-06 Date and Time .....                       | 2-46 |
| 2.9.6  | B09-07 Commodity Message.....                    | 2-46 |
| 2.9.7  | B09-08 Open PLU.....                             | 2-47 |
| 2.9.8  | B09-09 Item List.....                            | 2-47 |
| 2.9.9  | B09-10 RS232C Communications .....               | 2-48 |

|        |        |  |      |
|--------|--------|--|------|
| 2.9.10 | B09-20 | Coupon Message .....                             | 2-48 |
| 2.9.11 | B09-21 | Ingredients Message .....                        | 2-49 |
| 2.9.12 | B09-22 | NIP Message .....                                | 2-49 |
| 2.9.13 | B09-23 | TCP/IP Communication .....                       | 2-50 |
| 2.9.14 | B09-24 | Operator System .....                            | 2-50 |
| 2.9.15 | B09-25 | Title Message .....                              | 2-51 |
| 2.9.16 | B09-26 | Advertisement Message .....                      | 2-51 |
| 2.9.17 | B09-27 | Department.....                                  | 2-52 |
| 2.9.18 | B09-28 | Group .....                                      | 2-52 |
| 2.9.19 | B09-29 | Campaign .....                                   | 2-53 |
| 2.9.20 |        | Returning to B01.....                            | 2-53 |
| 2.10   | B10    | ETHERNET SETTINGS.....                           | 2-54 |
| 2.10.1 | B10-01 | IP Address Setting.....                          | 2-54 |
| 2.10.2 | B10-02 | Gateway Address Settings .....                   | 2-55 |
| 2.10.3 | B10-03 | Subnet Mask .....                                | 2-57 |
| 2.10.4 | B10-04 | Server Address.....                              | 2-59 |
| 2.10.5 | B10-05 | Login Name Registration .....                    | 2-60 |
| 2.10.6 | B10-06 | Password Registration for FTP Communication..... | 2-61 |
| 2.10.7 | B10-07 | MAC Address .....                                | 2-61 |
| 2.10.8 | B10-08 | DHCP Communication Setup .....                   | 2-62 |
| 2.10.9 | B10-09 | Network Status .....                             | 2-63 |
| 2.11   | B11    | SYSTEM TIMER .....                               | 2-65 |
| 2.12   | B12    | PASSWORD REGISTRATION.....                       | 2-66 |
| 2.12.1 | B12-01 | Password for Registration Mode .....             | 2-66 |
| 2.12.2 | B12-02 | Password for Total Mode .....                    | 2-66 |
| 2.12.3 | B12-03 | Password for Subtraction Mode .....              | 2-67 |
| 2.12.4 | B12-04 | Password for Setup Mode .....                    | 2-67 |
| 2.12.5 | B12-06 | Password Change .....                            | 2-67 |
| 2.12.6 |        | Returning to B01.....                            | 2-67 |
| 2.13   | B13    | MACHINE NUMBER .....                             | 2-69 |
| 2.14   |        | EXITING THE MODE.....                            | 2-70 |

### **Chapter 3 TEST MODE (C mode) ..... 3-1**

|       |        |                                  |     |
|-------|--------|----------------------------------|-----|
| 3.1   |        | ENTERING TEST MODE.....          | 3-1 |
| 3.2   | C01    | HARDWARE TEST .....              | 3-2 |
| 3.2.1 | C01-01 | A/D Check .....                  | 3-2 |
| 3.2.2 | C01-02 | Key Check.....                   | 3-3 |
| 3.2.3 | C01-03 | Display Check .....              | 3-4 |
| 3.2.4 | C01-04 | RS232C Check .....               | 3-5 |
| 3.2.5 | C01-05 | Application Program Number ..... | 3-5 |
| 3.2.6 | C01-06 | BIOS Program Number .....        | 3-6 |
| 3.2.7 | C01-07 | Reset Count .....                | 3-7 |
| 3.3   | C02    | RAM CLEAR.....                   | 3-8 |
| 3.3.1 | C02-01 | SRAM Clear .....                 | 3-8 |
| 3.3.2 | C02-02 | Set Data Clear.....              | 3-8 |
| 3.3.3 | C02-03 | Test Data Clear.....             | 3-8 |
| 3.3.4 |        | Returning to C01 .....           | 3-9 |

|   |        |                                       |            |
|---|--------|---------------------------------------|------------|
| 3.4   | C03    | THERMAL HEAD.....                     | 3-10       |
| 3.4.1   | C03-01 | Thermal Head Resistance.....          | 3-10       |
| 3.4.2   | C03-02 | Print Usage Distance.....             | 3-10       |
| 3.4.3   | C03-03 | Resistance Value Adjustment.....      | 3-11       |
| 3.4.4   |        | Returning to C01 .....                | 3-11       |
| 3.5   | C04    | LABEL SENSOR CHECK.....               | 3-12       |
| 3.5.1   | C04-00 | Label Sensor .....                    | 3-12       |
| 3.5.2   |        | Returning to C01 .....                | 3-12       |
| 3.6   | C05    | TOTAL MEMORY.....                     | 3-13       |
| 3.6.1   | C05-00 | Total Memory & Remaining Memory ..... | 3-13       |
| 3.6.2   |        | Returning to C01 .....                | 3-13       |
| 3.7   | C06    | ROM SWITCH.....                       | 3-14       |
| 3.7.1   | C06-00 | ROM Switch Selection.....             | 3-14       |
| 3.7.2   |        | Returning to C01 .....                | 3-15       |
| 3.8   | C07    | PEEL SENSOR CHECK.....                | 3-16       |
| 3.8.1   | C07-00 | Peel Sensor.....                      | 3-16       |
| 3.8.2   |        | Returning to C01 .....                | 3-16       |
| 3.8.3   |        | Exiting the Mode.....                 | 3-16       |
| <br><b>Chapter 4 COMPONENT REPLACEMENT .....</b>            |        |                                       | <b>4-1</b> |
| 4.1   |        | THERMAL HEAD REPLACEMENT .....        | 4-1        |
| 4.2   |        | PRINT ROLLER REPLACEMENT .....        | 4-2        |
| 4.3   |        | LOAD CELL REPLACEMENT .....           | 4-4        |
| 4.4   |        | MAIN BOARD REPLACEMENT .....          | 4-6        |
| 4.5   |        | KEY SHEET REPLACEMENT .....           | 4-8        |
| 4.6   |        | A/D BOARD REPLACEMENT .....           | 4-10       |
| 4.7   |        | POWER SUPPLY BOARD REPLACEMENT .....  | 4-12       |
| 4.8   |        | DISPLAY UNIT REPLACEMENT .....        | 4-14       |
| <br><b>Chapter 5 ERROR LIST &amp; TROUBLESHOOTING .....</b> |        |                                       | <b>5-1</b> |
| 5.1   |        | ERROR LIST .....                      | 5-1        |
| 5.2   |        | TROUBLESHOOTING.....                  | 5-2        |
| <br><b>Appendix .....</b>                                   |        |                                       | <b>A-1</b> |
| A.1   |        | BLOCK DIAGRAM.....                    | A-1        |
| A.2   |        | DISPLAY SPECIFICATIONS (L1 TYPE)..... | A-2        |
| A.3   |        | POWER SUPPLY UNIT SPECIFICATIONS..... | A-3        |

This is a “Table of Contents preview” for quality assurance

The full manual can be found at <http://the-checkout-tech.com/estore/catalog/>

We also offer free downloads, a free keyboard layout designer, cable diagrams, free help and support.

<http://the-checkout-tech.com> : *the biggest supplier of cash register and scale manuals on the net*