# MODEL 3000 OPERATOR'S MANUAL




WEIGH-TRONIX®

The Weigh Bar® People

# MODEL 3000 SPECIFICATIONS




**ACCURACY:** ±1% of applied loads or one weight increment, whichever is greater.

**RANGE OF CAPACITY AND INCREMENTS:** Programmable in either lb or kg units:

**POWER SOURCE REQUIREMENTS:** Operates from power sources that provide from ±12 volts d.c. to ±48 volts d.c.

**OPERATING ENVIRONMENT:** Temperature Range: -40 to 140 degrees F. (-40 to 60C)
Humidity Range: 0 to 95% without condensation.
RFI: Rejects moderate levels of RFI.

**PHYSICAL DIMENSIONS:** 10.06" wide x 10.25" high x 5.5" deep.
(25.56 cm wide x 26.04 cm high x 13.97 cm deep.)

**WEIGHT:** 5.05 lb
2.29 kg

This is a “Table of Contents preview” for quality assurance

The full manual can be purchased from our store:
https://the-checkout-tech.com/manuals/Weigh-Tronix/3000 operators manual.html

And our free Online Keysheet maker:
https://the-checkout-tech.com/Cash-Register-Keysheet-Creator/

HTTPS://THE-CHECKOUT-TECH.COM